Journal of Physics D: Applied Physics
1970, Volume 3

Subject index

Introduction

The entries in this index refer to the papers and Letters by their page number. The entries are grouped under headings. If a heading for a particular subject does not appear, the subject may be in the form of a crossreference to another heading, perhaps of a more general nature. Many of the headings are subdivided by the use of subheadings, which are indented (i.e. printed slightly to the right) and commence with a small letter.

The information contained in the subject index is illustrated by the following example:

main heading *crossreferences to other headings*

Plasma, *see also Electric discharges; Electrons; Ions*

page numbers

ion motion and boundary as closed Mach surface 304–8

entry

subheading

confinement

sheath boundary, a Mach surface L39–40

entry

Associated with the main heading 'Confinement of plasma' is a 'see' crossreference as follows:

main heading *crossreference to other heading*

Confinement of plasma, *see Plasma/confinement*

This means that for papers on 'Confinement of plasma' the reader should consult the subheading 'confinement' of 'Plasma' as displayed above.

Arrangement of headings and subheadings

The headings and crossreferences are arranged throughout the index in alphabetical order according to the 'word by word' system. The subheadings are themselves arranged in alphabetical order under their respective headings.

Arrangement of entries under headings

Entries are arranged in four distinct groups as follows:

First group: arabic numerals

Second group: English alphabet (A–Z), roman numerals, Greek alphabet (excluding elementary particles)

Third group: elementary particle symbols, that is, the Greek and English alphabet, e.g. μ (muon), p (proton)

Fourth group: chemical formulae (including entries beginning with nuclei, e.g. ^{57}Fe).

Nuclei

Papers on nuclei whose mass number (or mass number range) is given are listed under a set of headings which begin 'Nuclei . . .', e.g. Nuclei with $6 \leqslant A \leqslant 19$ where A is the mass number.

Absorption, acoustic wave
ferromagnetic semiconductors, amplification of coupled spin–acoustic waves 54–8
polycrystalline material, relative to preferred orientation for ultrasonic waves 1798–802
Absorption, light, *see also Atmospheric optics; Films, solid|optical properties; Filters, optical; Optical constants; Transmission, light; Spectra*
chlorosodalite, photochromism, mechanism from optical data 1438–43
saturable absorber transmission eqn. analysis 1935–43
shock pressure and impulse generation by absorption of *Q*-switched laser light 358–64
SiC thin films prepared by electron beam evaporation 232–5
Acids, inorganic, *see individual compounds*
Acids, organic, *see Organic compounds*
Acoustic amplification in solids, *see Acoustoelectric effects*
Acoustic field, *see Acoustics*
Acoustic paramagnetic resonance, *see Paramagnetic resonance and relaxation*
Acoustic wave propagation, *see also Absorption, acoustic wave; Shock waves*
alloy, em wave generation, rel. to flaw detection L61–3
metal, em wave generation, rel. to flaw detection L61–3
Acoustic waves, *see Elastic waves; Shock waves*
Acoustical measurement
on polycrystalline mat., rel. to preferred orientation 1798–802
Acoustics, *see also Vibrations*
field in liquids, subharmonic pressure waves from pulsating gas bubbles 635–6
Acoustoelasticity, *see Elasticity*
Acoustoelectric effects
gain and current saturation, large-signal characteristics 736–41
CdS, travelling high-field domains, oscillations, current–voltage characteristics 742–50
ZnO, microwave oscillator, room temp. operation 1993–8
Acoustomagnetic effects, *see Magnetoacoustic effects*
Adhesion
flat-surface wringing and contact error variability 8–28
thin film, measurement using stylus or scratch method 877–83
Adion, *see Adsorption*
Adsorption
monatomic layer formation by bombardment of Mo by He^+, Ar^+ 594–600
Aerosols, *see also Foams*
charged-particle velocity meas. by Schlieren interferometry of Doppler-shifted light 1962–6
Afterglow, *see Discharges, electric*
Air
electrical discharge stabilization using axially flowing stream 628–31
Townsend's first ionization coefficient measurement in transverse *E* and *H* 943–50
Alfvén waves, *see Magnetohydrodynamics*
Aliphatic compounds, *see Organic compounds*
Alkali metal halides, *see also the compounds of the individual metals*
Schottky defects and compressibility 1767–9
Alloys, *see also Solid solutions; Steel and under compounds or alloys of the named elements*
fcc, particle size and strain measurements by method of variance 33–6
flaw detection using em sound generation L61–3
superconductor, binary eutectic type II, effect on sheath current carrying capacity second phase precipitate 1830–6
Alnico, *see Nickel alloys*
Aluminium
electron range of contributions of back-scattered electrons in secondary production 349–57
fatigue, x-ray topography obs. 813–13
Al–CdS–Al structures under unidirectional voltage pulse excitation, negative resistance obs. 1183–8
Aluminium compounds, *see also Ruby*
Al_2O_3 single crystal and polycrystalline, dc conductivity 983–7
Al_2O_3 thin films, evaporation on to Si by 80 W cw laser L7–9
Amorphous state
Gd–Ag alloy films, preparation and Curie temperature L15–7
Analog calculating apparatus, *see Calculating apparatus, analog*
Anelasticity, *see Internal friction*
Antiferroelectric materials, *see Ferroelectric materials*
Antimony compounds
SbS_3 sintered layer, photocord., *I–V* characts 1641–4
Antiphase domains, *see Alloys; Crystal structure|microstructure; Solids|structure*

Antireflection coatings, *see Films, solid/optical properties*
Arcs, electric
free burning, electrical and photographic meas. 1089–99
graphite, refractory metal, pulsed rf discharge, ion bombard., figure of merit 1670–7
low-pressure, current sustained pressure effects 184–91
rectifiers, grid-controlled, rotating arcs 1897–904
refractory metal, pulsed rf discharge, ion bombard., figure of merit 1670–7
temperature measurement of moving arcs in argon 931–42
thermal conductivity, Lorenz number values, 380–610 K L21–3
transition in MHD generator 1080–8
N, radial temperature distribution in freely burning arcs 1247–54
Area measurement, porous substances, *see Surface measurement*
Argon
arcs, moving, temperature measurement 931–42
discharge afterglow, thermal cond. energy loss 1696–701
electron scattering, small angle, cross section meas., 13, 23 and 43 kV 1480–5
laser, lf power and current oscillations L58–61
laser action of Z-pinch discharge 924–30
ring discharge, axial mag. field, cond. 1678–88
ultrasoft X-ray absorption cross section, new meas. 1392–8
Ar–hydrocarbon Penning mixtures, ionization coefficients 789–96
Ar^+ bombarding Mo, monoatomic layer formation 594–600
Aromatic compounds, *see Organic compounds*
Arsenic compounds
As_3–Bi single crystal alloy, giant thermomagnetic Z_{NR} at 4·2 K 617–9
Assistors, *see Conductivity, electrical; Semiconducting devices*
Atmosphere, movement, *see also Wind*
Atmospheric disturbances, *see Atmosphere, movement*
Atmospheric duct, *see Electromagnetic wave propagation*
Atmospheric optics
colour of distant light source, effect of distance and nature of fog particles in atmosphere 96–9
diffuse transmission over long paths in lower atmosphere 405–12
Atmospheric spectra, *see Atmospheric optics*
Atomic scattering factors, *see Crystal structure, atomic*
Atoms
Ar, small angle cross sections, 13, 23 and 43 kV electrons 480–5
Cd II, excitation mechanism of 4416 Å laser transition 64–8
He, small angle cross sections, 13, 23 and 43 kV electrons 480–5
electron scattering, *see Atoms*
excitation, *see Atoms*
Austenite, *see Iron alloys; Steel*

BCS theory, *see Superconductivity*
Backward wave oscillations, *see Electromagnetic oscillations; Electron tubes*
Band theory of solids, *see Crystal electron states/band structure*
Barium
purification by repeated distillation 980–2
Barium compounds
Ba aluminate cathodes, operating temperatures lowered by sputtered metallic coatings 443–7
Bending, *see Stress analysis*
Bismuth compounds
Bi–As single crystal alloy, giant thermomagnetic Z_{NR} at 4·2 K 617–9
Bi_2Te_3 single-crystal electrical conductivity during copper plating 697–706
$Bi_{85}Sb_5$: Te, Seebeck coefficient, thermal and electrical conductivity, 80 K 333–6
Bonding of materials, *see Adhesion*
Bravais lattice, *see Crystal structure, atomic*
Breakdown, electric, *see also Discharges, electric*
laser-induced multiple breakdown obs. 2005–8
gases
trigatron spark-gap, voltage reduction, effect of triggering energy 1497–8
Hg vapour, below Paschen minimum L55–7
Hg vapour, Ni electrodes, potentials, press. depend 1782–4
liquids
charge mobilities, apparent, from breakdown times and Le Blanc's hopping model L5–6
oil, gases generation 917–23
transformer oil, degassed, under non-uniform field conditions, pre-breakdown conduction current pulses 1205–11

solids
cathode, microcratering 1663–9
cathode surface protrusion, field emission, annealing effect 1653–62
Brillouin zones, *see Crystal electron states/band structure*
Bubbles, *see also Foams*
gas, pulsating in acoustic field of liquid, subharmonic pressure waves 635–6
subharmonic pressure threshold in viscous liquid, viscosity meas. L47–51

Cadmium
ion laser, continuous wave, 4416 Å, output power, gain and oscillation bandwidth 64–8
plasma diode, Hg/Cd seeded, Penning effect 1855–67
Cadmium compounds
MIS devices, current–voltage and short circuit photocurrents for CdS 620–3
CdI_2, dislocations, electron microscope observation 91–2
CdS, electroacoustic oscillator strain meas. 751–7
CdS, photoconducting, crystal inhomogeneity effect on threshold field for current saturation 1297–8
CdS, travelling high-field domains, oscillations, current–voltage characteristics 742–50
CdS–ZnO semiconducting alloy systems, electroluminescence 240–2
CdSe, electron traps 451–61
CdSe, photo-induced changes in photoconductivity and luminescence 1049–57
Caesium
seeding in Cs plasma diode, Penning diode 1855–67
seeding of He in MHD power generator 1713–16
Calcium compounds
CaF_2, plastic deformation, rare earth impurity effects, microhardness, dislocation rosettes 1645–7
$(CaMg)(SiO_3)_2$ phosphor cathodoluminescence, fluctuations in 0·1–40 kHz range 45–53
Calculating apparatus, analog
simulation of heat conduction with melting 1727–36
Calculation, *see also Graphs*
numerical curve fitting for calculating glow parameters 243–7
Candoluminescence, *see Luminescence*
Capillarity, *see Bubbles; Films/liquid; Foams*
Carbon, *see also Diamonds; Graphite*
fibre, elec. resist., noise, mech. strain effects 1615–26
fibres, low-angle x-ray diffraction 526–34
field emission microscopy of layers 228–30
ultrasoft x-ray absorption cross section, new meas. 1392–8
x-ray absorption between 44–85 Å, mass absorption coefficients 1405–6
Carbon compounds, *see also Organic compounds*
CO_2 laser, 80 W cw, application to Al_2O_3 thin film evaporation on to Si L7–9
CO_2, viscosity at atmospheric pressure and 600, 700 K 550–62
CO_2/O_2 mixture, liquid–vapour equilibrium, rel. to cylinder storage 1747–58
Carrier mobility, *see Crystal electron states/transport processes; Semiconducting materials; Semiconductors*
Cathode rays, *see Electron beams*
Cathodes, *see also Electron emission*
hollow-cathode lamp, diffusion of sputtered particles 586–93
pre-breakdown microcratering 1663–9
surface protrusion, field emission, breakdown, annealing effects 1653–62
thermionic, hollow, use in thyratrons L37–9
Cathodoluminescence, *see Luminescence*
Cavitation
hydrodynamic inception, role of stabilized gas nuclei 574–9
sonically induced, detection using phase shift between fundamental and second harmonic components 1147–9
Ceramics
stannates and zirconates, properties and application in MHD power generation 307–19
Cerium compounds
$Ce_2Zr_2O_7$, properties, suitability for use as MHD electrode 307–19
Cermets, *see Ceramics; Metals*
Charcoal, *see Carbon*
Charge carriers, *see Crystal electron states; Semiconducting materials; Semiconductors*
Chemical analysis, x-ray, *see also X-ray examination of materials*
electron probe microanalysis, electron microscope thin foils, thin standards L70–2
ferrofluid containing Gd and Fe single and polydomain particles, particle identification 1985–6

microprobe, finite beam diam. effect 1919–24
Fe particle ferrofluid, single and polydomain, particle identification 1985–6
Gd particle ferrofluid, single and polydomain, particle identification 1985–6
Chemical equilibrium, *see Chemical reactions*
Chemical reactions
discharge induced synthesis, pulse characteristics L67–9
Chemiluminescence, *see Luminescence*
Chemisorption, *see Chemical reactions*
Circuits, *see also Oscillators*
motor, dielectric, with low conductivity liquid, operation 1212–8
printed, electron beam testing 1505–8
Cleavage, *see Fracture*
Cobalt compounds
CoF_2, elastic compliances, determ. from resonant freqs of crystal rods 1789–95
$Co_xMn_{1-x}Fe_2O_4$, ferrite, magnetostriction, 2–400 K comp. depend. 1595–604
Coherence, *see Electromagnetic waves; Lasers*
Collections of physical data
(Only comprehensive works of reference listed here)
spectral power distrib. for W and blackbody radiation 1967–76
Collision processes
inert gas excited dimer formation in Townsend discharges by metastable atom collisions 1905–11
solid–gas interaction, continuum model for molecules 1765–6
N_2, small angle electron scattering cross sections, 13, 23 and 43 kV 1480–5
Colour
incandescent source, dependence on distance and nature of fog particles in atmosphere 96–9
Colour centres
chlorosodalite, photochromism, mechanism from optical data 1438–43
Columbium compounds, *see Niobium compounds*
Communications, optical, *see Laser beams*
Composite materials
elastic module, effect of frequency 778–82
Compressibility
alkali, halide, Schottky defects 1767–9
Condensation, *see Fog*
Conduction, electrical, *see Conductivity, electrical*
Conduction bands, *see Crystal electron states/band structure*
Conduction electron scattering, *see Crystal electron states/transport processes*
Conductivity, electrical, *see also Semiconducting materials, Semiconductors; Superconducting materials; Superconductivity*
dielectric with continuously varying conductivity, frequency dispersion 157–67
liquids
motion and internal pressure effects in stressed hexane and transformer oil 580–5
nitrobenzene, natural conduction L44–5
nitrobenzene, natural conduction at electric fields of 50–50 000 V cm^{-1} 341–8
water, fresh, input resistance of electric screens and fish counters 508–25
solids
ceramic zirconates and stannates, rel. to potential use in MHD power conversion 307–19
comparison with gas transport properties 685–96
semiconductor, ZnS, single crystal platelets, switching, $T < -40\,°C$ 1776–81
semiconductor linear geometry devices, conduction-mode signals 467–72
space-charge-limited current enhanced by Frenkel effect 151–6
strain gauge cements, resistance variation mechanism 1785–6
Al_2O_3 single crystal and polycrystalline, dc conductivity 600–1573 K 983–7
$Bi_{88}Sb_5$: Te, 80 K 333–6
Bi_2Te_3 single crystal, during copper plating 697–706
C fibre, noise, mech. strain effects 1615–26
InSb thin films prepared by getter evaporation 871–6
MgO single crystals at high fields, 400–750 °C 1329–39
SiC thin films prepared by electron beam evaporation 232–5
Si_3N_4 film, room-temperature *I–V* characteristics 803–6
Si_3N_4–SiO_2 film, room temperature *I–V* characteristics 803–6
SiO, freshly evaporated, unreversible changes after atmospheric exposure L75–6
TiO_2, dc and ac props. of single cryst. and anodic thin film 1837–48
ZnS, single crystal platelet, switching, critical temp., −40 °C 1776–81

Conductivity, thermal
metal, high temp., measurement 1811–5
liquids
hydrocarbon liquids, elementary charge carrier models 1073–9
temperature depend 1444–50
solids
ceramic zirconates and stannates, thermal diffusivity rel. to potential use in MHD power conversion 307–19
comparison with gas transport properties 685–96
metal, high temp. meas. method 1811–5
metal film, and emissivity, rel. to electron irrad. 1461–8
metals, electrical measurement method at higher temperatures 133–8
Al, Lorenz number values, 380–610 K L21–3
$Bi_{95}Sb_5$: Te, 80 K, lattice conductivity estimation 333–6
Pt, Lorenz number values, 380–610 K L21–3
Zr, modified Jain and Krishnan method meas., 1100–1500 K 1359–62
Confinement of plasma, *see Plasma/confinement*
Contacts, electrical
potential difference measurement by Kelvin method, stray capacitance effects 482–8
Copper alloys, *see also Copper compounds*
Cu–Nb filamentary composites, ac losses 1023–32
Copper compounds, *see also Copper alloys*
$CuMnCoO_4$ spinel, structure and ionic configuration, x-ray study 434–6
Corona, electric discharge, *see also Breakdown, electric*
impulse breakdown of positive point–plane gaps in air containing charged particles 1219–25
Corrosion
ceramic zirconates and stannates, corrosion resistance rel. to potential use in MHD power conversion, 307–19
Cottrell atmosphere, *see Crystal imperfections/dislocations*
Covette flow, *see Flow; Hydrodynamics*
Creep
polyethylene, cold-drawn low-density, tensile creep behaviour 535–49
Cryopumping, *see Vacuum pumps*
Cryoscopy, *see Freezing*
Crystal chemistry
$CuMnCoO_4$ spinel, oxidation states, x-ray study 434–6
Crystal electron states, *see also Colour centres*
Fermi energy dependence on particle size 139–44
polyvinyl chloride, positronium lifetime meas. and thermal degradative behaviour 663–71
semiconductor hot-electron helicon mode conversion 1363–6
CdSe, electron traps 451–61
Ge, p-type, carrier mobility determination from Faraday rotation measurements at 9·0 GHz 59–63
band structure
triglycine selenate, ferroelectric, energy gap–temperature characteristics L29–30
transport processes
semiconductor diode, p-Si, space-charge-limited, current flow, electronic parameters, 1990–2
p-Si diode, space-charge-limited, current flow, electronic parameters 1990–2
Crystal energy, *see Solid structure*
Crystal imperfections, *see also Colour centres*
alloy/oxide interface at grain boundaries using electron microscopy 231
Nb–Ti superconducting alloys, x-ray diffraction study 125–32
dislocations
CdI_2, electron microscope observation 91–2
NaCl, inclination effects on etch pit morphology 1796–7
impurities
Gunn-effect oscillators, transverse doping gradient, possible consequences 437–42
CaF_2, plastic deformation, microhardness, dislocation rosettes, rare earth dopant effects 1645–7
vacancies
alkali halide, Schottky defects, compressibility 1767–9
alkali halide, Schottky defects, LiF : Mg^{2+}, kinetics of dipole aggregation L51–4
Crystal structure
garnets, microwave, rel. to magnetic properties required for non-reciprocal microwave ferrites, review 251–68
microstructure
alloy/oxide interface at grain boundaries using electron microscopy 231
alloys, fcc, particle size and strain measurements by method variance 33–6
polycrystalline mats, preferred orientation 1798–802
Sn film, and superconductive properties, effect of oxygen during vacuum deposition 1168–78
Crystal structure, atomic, *see also Crystal electron states*
graphite, pyrolytic, crystallite size, x-ray line broadening technique obs. 1367–73
trigonal Se and Te, crystallographic angles computation 611–3

$CuMnCoO_4$ spinel, space group and cell dimensions, x-ray study 434–6
NaF–LiF system, solid solubility limit by x-ray diffraction 614–6
SiC thin films prepared by electron beam evaporation 232–5
Crystal symmetry, *see Crystal structure, atomic*
Crystallites, *see Crystal structure/microstructure*
Crystals, *see also Liquid crystals*
etching, NaCl, pit morphology, dislocation inclination depend. 1796–7
electron states, *see Crystal electron states*
growth
Ag films, vacuum-condensed, orientations and dependence on film thickness, deposition rate, substrate temperature 839–53
InSb thin films, getter evaporation 871–6
imperfections, *see Crystal imperfections*
orientation
nematic liquid, static orientation patterns in magnetic fields 889–97
polycrystalline mats, preferred orientation 1798–802
Ag films, vacuum-condensed, dependence on thickness, deposition rate, substrate temperature 839–53
Current, electrical
benzene, liquid, influence of dissolved water on current between metal electrodes 75–83
positive column, non-uniform, current-carrying capacity, effect of negative pressure gradient 69–74
Czochralski method, *see Crystals, growth*

Dark space, *see Discharges, electric*
Data tables, *see Collections of physical data*
Decomposition, thermal, *see Chemical reactions*
Deformation
diamond wedges, crossed, behaviour in scanning electron microscope 121–4
fibrous networks, flat bonded, statistical analysis of patterns 269–76
foams, liquid-filled, dynamic mechanical behaviour 906–16
Nb–Ti superconducting alloys, x-ray diffraction study 125–32
Dendrites, *see Crystals/growth*
Detonation, *see also Shock waves*
expansion following *C–J* detonation waves, wall heat transfer influence 365–76
Diamonds
deformation behaviour of crossed wedges in scanning electron microscope 121–4
Dielectric loss, *see Dielectric properties of substances*
Dielectric measurement
permittivity of high-loss liquids at microwave frequencies using unmatched phase changer 84–90
Dielectric properties of substances
frequency dispersion for condenser components with continuously varying conductivity 157–67
triglycine selenate, ferroelectric, energy gap–temperature characteristics L29–30
white fish meal, complex permittivity in microwave region as function of temperature and moisture content 1275–83
$PbTiO_3$ glass-ceramics, application of dielectric mixture formulae 1058–67
liquids and solutions
charge mobility, apparent, from breakdown times L5–6
oil, dielectric breakdown, gases generation 917–23
permittivity meas. on low and medium loss liquids using terminated coaxial line 1068–72
permittivity of high-loss liquids, measurement at microwave frequencies using unmatched phase changer 84–90
transformer oil, degassed, pre-breakdown conduction current pulses obs. 1205–11
solids
powder, correlation with bulk, Landau–Lifshitz–Looyenga's formula 1648–52
power and bulk, Bottcher's formula for dielectric correlation 677–84
Mn–Zn ferrites permeability, surface grinding effect 1346–51
Dielectric relaxation, *see Dielectric properties of substances*
Diffraction
powder profiles, tangential contribution to centroid displacement and variance 1403–4
light
turbulence effect on diffraction pattern of circular aperture, rel. to telescope resolution 93–5
x-rays, *see X-ray diffraction*
Diffrimoscopy, *see Diffraction/light*
Diffusion, *see also Diffusion in gases; Diffusion in solids*
radiation flux around point source in atmosphere of scattering particles, diffusion methods 397–404
light, *see Reflectivity; Scattering/light*
Diffusion in gases
sputtered particles in hollow-cathode

lamp, Monte Carlo analysis 586–93
O_2, mobility, diffusion and attachment of electrons 957–64
SF_6, mobility and diffusion of negative ions 951–6
Diffusion in solids
Si, of laser induced Al ions, rel. to resistivity changes L7–9
Si small chips, thermal measurement using phase-shift of thermal wave 236–9
W surface, single atoms of Ta, Mo, Re, Ir and Pt, obs. by field ion microscopy 707–16
Diffusion pumps, *see Vacuum pumps*
Diodes, *see Plasma|devices; Semiconducting devices|diodes; Semiconducting devices|tunnel and interface devices*
Discharges, electric, *see also Arcs, electric; Breakdown, electric; Corona, electric discharge; Plasma; Sparks, electric*
air, stabilization using axially flowing stream 628–31
chemical synthesis, pulse characteristics L67–9
in spark channel development in Townsend discharge 1886–96
inert gas Townsend, delayed uv radiation obs., dimerization 1905–11
low-pressure with gas anode, periodical phenomena 192–5
plasma column, high-power constricted, theoretical analysis 1374–80
positive column, non-uniform, current limitation and pressure gradients 69–74
Townsend, spark channel formation 1886–96
Townsend's first ionization coefficient measurement for air in transverse E and H 943–50
Ar, ring discharge, axial mag. field, cond. 1678–88
Ar Z-pinch plasma, laser action 924–30
Hg, Langmuir probes meas. of plasma density in positive column, low pressure 1107–12
Hg, low-pressure, neutral particle density modulation in positive column modulated at low frequencies 1226–39
Hg resonance line (2537 Å) as stabilized monochromatic radiation source 607–10
Si solar cells, effects on charcts 1849–54
glows
Ar, afterglow, thermal cond. energy loss 1696–701
He afterglow, low pressure, thermal conduction energy loss 1240–6
Ne–He mixture, afterglow 1689–95
Dislocations, *see Crystal imperfections|dislocations*
Disperse systems, *see also Aerosols; Foams; Powders*
colloidal dispersions of Mie scatterers for calibration of light-scattering photometers 221–7
ferrofluid containing Gd and Fe particles, single and polydomain, analysis 1985–6
particle-flame system, complex refractive index meas. 1944–56
Fe particle, in ferrofluid, single and polydomain particles 1985–6
Gd particle in ferrofluid, single and polydomain particles 1985–6
Distillation
Ba, purification by repeated distillation 980–2
Domains, *see Magnetization state, domains; Superconductivity*
Domains, antiphase, *see Alloys; Crystal structure|microstructure; Solid structure*
Doping, *see Semiconducting materials; Semiconductors*
Dosimetry
thermoluminescent mat. props, impurity effects in LiF 1816–23
Double resonance, *see Paramagnetic resonance and relaxation*
Dusts, *see Aerosols; Powders*
Dynamos, *see Electrical machines*

Edge emission, *see Luminescence*
Elastic constants, *see also Compressibility*
coatings, thin soft, rigidity modulus determination by indentation measurements 29–32
composite materials, effect of frequency 778–82
fibres, transversely isotropic 672–6
preferred orientation relationships 1798–802
CoF_2, compliances, determ. from resonant freqs of crystal rods 1789–95
NaCl, adiabatic, 190–300 K 1451–60
PbF_2, elastic compliances, composite oscillator technique 430–3
RbCl, adiabatic, 140–300 K 1451–60
Elastic losses, *see Internal friction*
Elastic waves
energy dissipation and attenuation under high-loss conditions 290–9
Elasticity, *see also Compressibility*
indentation of layers, depth depend. on shape, elastic consts. and force 1803–10

polyethylene, cold-drawn low-density, tensile creep behaviour 535–49
Electrets, *see also Electrostatics*
thermoelectrets of PVC and polyvinyl acetate, temperature dependence 829–38
Electric breakdown, *see Breakdown, electric*
Electric discharges, *see Discharges, electric*
Electric fields
strengths and ion trajectories in sharp-edge field ionization sources, 196–202
Electric strength, *see Breakdown, electric*
Electrical conduction, *see Conductivity, electrical*
Electrical current, *see Current, electrical*
Electrical machines
motor, dielectric, with low conductivity liquid operation 1212–8
motor, dielectric miniature multiple liquid-immersed 216–20
Electrical measurement
(Entries describing measurement methods for specific electrical quantities and effects may also be found listed under the various headings for the subjects concerned)
arcs, free burning, nature and behaviour 1089–99
Electrical properties of substances, *see also individual properties, e.g. Conductivity, electrical; Dielectric properties of substances, etc.*
benzene, liquid, influence of dissolved water on electric current between metal electrodes 75–83
InAs thin films, related optical and electrical properties 854–62
Electricity, direct conversion
ceramic zirconates and stannates, possible applications in MHD 307–19
MHD power generator, Co seeding of He 1713–16
Si, discharge effects on charcts of solar cells 1849–54
Electro-optical effects
Kerr effect method for limitations on relaxation times meas. 1314–21
Electrodynamics
particle trajectories in mag. fringe fields 1925–30
rf quadrupole device, trajectory computation technique 1717–26
velocity meas. on charged aerosol particles, using Schlieren interferometry of Doppler-shifted light 1962–6
Electroluminescence
ZnO–CdS semiconducting alloy systems 240–2
ZnS, Mn and Cu activated, direct-current 105–20
ZnS : Mn, Cu, ZnS : Er, Cu, dc excitation, luminance and maintenance L65–6
ZnSe : Mn, Cu, dc, excitation, luminance and maintenance L65–6
Electromagnetic oscillations, *see also Magnetohydrodynamics*
cylindrical TM_{010} microwave cavity with end holes and glass tube, electric field distribution 1381–6
Electromagnetic wave propagation, *see also* Plasma/electromagnetic waves
metal, flaw detection using em sound generation L61–3
turbulent, no gain in resolving power on increasing aperture over limited one in atmosphere L35–6
Electromagnetic waves, *see also Diffraction*
standing wave in adjustable length of coaxial line, line length change rel. to phase 84–90
Electrometers, *see Electrical measurement*
Electron avalanches, *see Breakdown, electric*
Electron beams
energy distrib. of fast electrons from hollow anode gas discharge guns 1912–18
from triode gun, brightness and energy distribution measurements 965–79
printed circuit modules testing 1505–8
testing of wired or printed circuit modules 1505–8
temperature rise due to irrad. 1461–8
Electron emission, *see also Noise/electrical*
Fermi energy dependence on particle size 139–44
field from negatively charged particles, effect of image force 145–50
from triode gun, brightness and energy distribution measurements 965–79
Mo bombardment by He^+, Ar^+, variations during monatomic layer formation 594–600
field emission
cathode surface protrusion, annealing effect, breakdown 1653–62
microscopy of C and graphite layers 228–30
photoelectric
GaAs–Cs–O transmission photocathode 320–6
secondary
metal blacks, electron spectroscopy L77–80
steel, stainless, under Hg ion bombardment, 15–100 keV 1475–9
surface, low SEE, prep. by evap. of metal films under high residual gas pressures 1469–74

Al, contribution of back-scattered electrons 349–57
Mo under Hg ion bombardment, 15–100 keV 1475–9
W under Hg ion bombardment, 15–100 keV 1475–9
thermionic
Ba aluminate cathodes, operating temperatures lowered by sputtered metallic coatings 443–7
Electron energy states, *see Crystal electron states*
Electron guns, *see Electron beams*
Electron microscope examination of materials
cathode, pre-breakdown microcratering 1663–9
ferrofluid containing Gd and Fe single and polydomain particles, size analysis 1985–6
CdI_2, dislocations observation 91–2
Fe particle ferrofluid, single and polydomain, particle size obs. 1985–6
Gd particle ferrofluid, single and polydomain, particle size obs. 1985–6
Electron microscopes
alloy/oxide interface at grain boundaries repetitive defect structure 231
electron probe microanalysis of thin foils L70–2
scanning, deformation behaviour of crossed diamond wedges 121–4
scanning of linear geometry semiconductor devices, conduction-mode signals 467–72
Electron mobility, solids, *see Crystal electron states/transport processes*
Electron paramagnetic resonance, *see Paramagnetic resonance and relaxation*
Electron probe analysis, *see Chemical analysis/X-ray*
Electron resonance, *see Paramagnetic resonance and relaxation*
Electron spin resonance, *see Paramagnetic resonance and relaxation*
Electron states in solids, *see Crystal electron states*
Electron structure of solids (crystallography), *see Crystal structure, atomic*
Electron structure of solids (energy structure), *see Crystal electron states*
Electron theory of solids, *see Crystal electron states*
Electron tubes
triode gun, electron beam brightness and energy distribution 965–79
Electrons
(This heading includes both positive and negative electrons when the differences between them are of no special significance.) *See also Crystal electron states; Noise/electrical; Plasma; Space charge*
mobility, diffusion and attachment in oxygen 957–64
Electrostatics, *see also Electrets; Electric fields*
electrification of toluene flowing in large-diameter metal pipes 563–73
Emission spectra, *see Luminescence; Spectra*
Energy bands and gaps, *see Crystal electron states/band structure; Semiconducting materials; Semiconductors; Superconducting materials; Superconductivity*
Energy loss of particles
electron range and contribution of back-scattered electrons in secondary production in aluminium 349–57
Equations
biharmonic, analogue solution using conducting paper technique 1134–9
Etching, *see Crystals*
Evaporation
ferrofluid containing Gd and Fe particles, single and polydomain, on to Hg 1985–6
getter, of InSb thin films 871–6
Al_2O_3 thin films on to Si, using 80 W cw CO_2 laser L7–9
Fe particle ferrofluid, single and polydomain, on to Hg 1985–6
Gd particle ferrofluid, single and polydomain, on to Hg 1985–6
Examination of materials, *see Electron microscope examination of materials; X-ray examination of materials*
Exchange interaction
semiconductor, magnetic, rel. to ordering temps 1491–4
Exoelectron emission, *see Electron emission*

Fatigue
Al, x-ray topography obs. 812–13
Ferrites, *see also Magnetic properties substances*
microwave, magnetic properties rel. to crystal structure, review 251–68
$Co_xMn_{1-x}Fe_2O_4$, magnetostriction, 2–400 K, comp. depend. 1595–604
Ferroelectric materials
$BaTiO_3$ single crystal, heated in O, elec. conductivity time depend. 1434–7
Ferromagnetic resonance
Lorentz modulation-broadened line shape analysis 1609–14
Ferromagnetics, *see Magnetic properties of substances/ferromagnetic*

Ferromagnets, *see Magnetic properties of substances/ferromagnetic*
Fibres
carbon, low-angle x-ray diffraction 526–34
deformation patterns in flat bonded fibrous networks, statistical analysis 269–76
elastic constants, transversely isotropic 672–6
C, elec. resist., noise, mech. strain effects 1615–26
Field emission, *see Electron emission/field emission*
Field emission microscopes, *see Electron microscopes*
Films, solid
adhesion measurement using stylus or scratch method 877–83
metal, thermal conductivity and emissivity, rel. to electron irrad. 1461–8
metals, sputtered onto Ba alluminate cathodes operating temperatures 443–7
semiconductor, plasma reflection edge 863–70
rigidity modulus of thin soft coatings, determination by indentation measurements 29–32
Ag, vacuum-condensed, growth and orientations 839–53
Al_2O_3, evaporation on to Si by 80 W cw CO_2 laser L7–9
Gd–Ag amorphous alloy films, preparation and Curie temperature L15–7
InAs thin films, related optical and electrical properties 854–62
InSb pure thin films, getter evaporation 871–6
Ni–Fe, evaporated, stratification 1495–6
Si, vacuum deposition on sapphire substrate, optimum conditions 1627–40
Si deposited epitaxially on corundum substrate, stress 770–7
SiC prepared by electron beam evaporation, structure, optical, electrical properties 232–5
electrical properties
Fermi energy dependence on particle size 139–44
GaAs thin epitaxial layers majority carrier profile from Schottky barrier *C–V* characteristics L79–82
Sb_2S_3, sintered layer, photocond., spectral distrib., *I–V* charcts. 1641–4
Si_3N_4, *I–V* characteristics at room temperature, vapour deposited 803–6
Si_3N_4–SiO_2, *I–V* characteristics at room temperature, vapour deposited 803–6
SiO, freshly evaporated, unreversible changes in electrical conductivity after atmospheric exposure L75–6
Sn, superconductive properties and structure effect of oxygen during vacuum deposition 1168–78
TiO_2, dc, ac props., resistive switching with memory 1837–48
magnetic properties
domain wall interactions with non-magnetic inclusions obs. by Lorentz microscopy 1044–8
optical properties
photometric methods for *n*, *k*, *d* determination 462–6
Filters, electrical, *see Circuits*
Filters, optical, *see also Films, solid/optical properties*
switched-voltage tunable, birefringent 1737–46
Flames
particle-laden, complex refractive index meas. 1944–56
Flicker noise, *see Noise/electrical*
Flow, *see also Diffusion; Turbulence; Viscosity*
polyacrylamide solns, dil., stabilization and destabilization 1486–7
toluene in large-diameter metal pipes, electrification 563–73
Flowmeters
electromagnetic, effects of non-uniform conductivity fluids 637–9
Fluctuations
cathodoluminescence radiation from CMT-7 phosphor, fluctuations in 0·1–40 kHz range 45–53
Fluid flow, *see Flow*
Fluid mechanics, *see Hydrodynamics*
Fluidized powders, *see Flow; Fluids; Powders*
Fluids, *see also Liquids*
conductivity, non-uniform effects in electromagnetic flowmeters 637–9
Fluorescence, *see Luminescence*
Foams, *see also Bubbles*
liquid-filled, dynamic mechanical behaviour 906–16
Fog
colour of distant light source, effect of distance and nature of fog particles in atmosphere 96–9
Fracture
glass under stationary ball with combined normal and tangential loading L40–4
perspex, glassy, effect of pre-orientation 1413–22
polystyrene, glassy, effect of pre-orientation 1413–22
TiC, under static and sliding contact 783–8

Frank–Read sources, *see Crystal imperfections/dislocations*
Freezing
  Hg_3Te_3–Ga_2Te_3 system, variation of freezing point with composition 37–44
Friction, internal, *see Internal friction*
Fugacity, *see Diffusion in gases*

Gadolinium compounds
  Gd–Ag amorphous alloy films, preparation and Curie temperature L15–7
Gallium compounds
GaAs, avalanche diodes, theory for high-efficiency microwave oscillations 1033–43
  GaAs, photocathode, transmission 320–6
  GaAs, photoluminescence from epitaxial and polycrystalline layers 1299–302
  GaP dynodes, gain variation with voltage L25–27
Ga_2Te_3–Hg_3Te_3 system, equilibrium diagram, temperature composition section 37–44
Garnets, *see also Ferrites*
  microwave ferrimagnetic, role of molecular engineering in their design (review) 251–68
Gas-discharge tubes
  arc rectifiers, grid-controlled, rotating arcs 1897–904
  hollow anode electron gun, energy distrib. of fast electrons in beam 1912–8
  thyratrons, hollow thermionic cathode system for L37–9
  trigatron spark-gap, breakdown voltage reduction, effect of triggering energy 1497–8
Gas flow, *see Flow*
Gels
    gelatin thin coatings, rigidity modulus determination by indentation measurements 29–32
Generators, *see Electrical machines*
Germanium
  Faraday rotation measurements, room temperature, in p-Ge at 9·0 GHz 59–63
  reflectivity enhancement under irradication with giant-pulse 1305–13
Ginzberg–Landau theory, *see Superconductivity*
Glass
  fracture under stationary ball with combined normal and tangential loading L40–4
Glow discharges, *see Discharges, electric/glows*
Gold compounds
  Au–SiO_x–GaAs electroluminescent diodes, detection properties 807–11
Grain boundaries, *see Crystal imperfections; Crystal structure/microstructure*
Graphite
  arcing behaviour under ion bombard., figure of merit 1670–7
  pyrolytic, crystalline size, x-ray line broadening techniques obs. 1367–73
Gudden–Pohl effect, *see Electroluminescence*
Gunn effect
  oscillator, transverse doping gradient, possible consequences 437–42
Gunn devices, *see Microwave techniques and devices; Semiconductor devices*

Hall generators, *see Semiconducting devices*
Hall mobility, *see Semiconducting materials; Semiconductors*
Hardness
  elastic layers indentation depth depend. on shape, elastic consts and force 1803–10
Hardness, magnetic, *see Magnetic properties of substances/ferromagnetic*
Harmonic generation, optical, *see Lasers*
Heat conduction, *see Conductivity, thermal*
Heat treatment
  wall transfer influence on expansion following *C–J* detonation wave 365–76
  cathode surface protrusion, field emission, breakdown, annealing effects 1653–62
  LiF, prolonged annealing, thermoluminescence sensitivity, effects of atmosphere and grain size 300–6
Helicons, *see Crystal electron states*
Helium
  electron scattering, small angle, cross section meas., 13, 23 and 43 kV 1480–5
  gas, ultrasoft x-ray absorption cross section, new meas. 1392–8
  gas afterglow, thermal conduction energy loss 1240–6
  MHD power generator, Co seeding 1713–16
  He–Ne mixture, dc glow discharge, afterglow 1689–95
  He^+ bombarding Mo, monoatomic layer formation 594–600
Holes, *see Crystal electron states; Semiconducting materials; Semiconductors*
Hollow cathode, *see Discharges, electric*
Hydrodynamics, *see also Flow; Liquid waves; Magnetohydrodynamics; Viscosity*
  cavitation inception, role of stabilized gas nuclei 574–9
Hydrogen
  H_2, ultrasoft x-ray absorption cross section, new meas. 1392–8
  H_2–O_2–N_2 flames containing hydrocarbon gases, ion density meas. technique 1255–62

H_2–O_2–N_2 flames containing hydrocarbon gases, natural ionization dependence on flame composition 1263–74
Hydrogen ions
plasma seeding rel. to temp. meas. in local thermodynamic equilib. plasma 1999–2004
Hydromagnetics, *see Magnetohydrodynamics*
Hydrometry, *see Flowmeters*
Hyperfine structure, *see Paramagnetic resonance and relaxation; Spectra*
Hypochromism *see Absorption/light; Polymers*
Hysteresis, *see also Dielectric properties of substances; Magnetization process*
losses in ac hard superconductors 489–507
Si–Fe, grain oriented, loops of individual domain walls and domain-wall motion 327–32

Imperfections in solids, *see Alloys; Crystal imperfections; Solid structure*
Impurities, *see Crystal imperfections/impurities; Semiconducting materials*
Indium compounds
InGap inhomogeneities and impurity concentration variation, photoluminescence excitation spectroscopy obs. 1322–8
Indium compounds
InAs thin films, related optical and electrical properties 854–62
Inert gases, *see also the individual gases*
dimerization in Townsend discharge from delayed uv radiation obs. 1905–11
Infrared sources, *see Light sources*
Insulating materials, electrical, *see Dielectric properties of substances*
Insulating materials, thermal, *see Conductivity, thermal*
Interferometers, light
Fabry–Pérot, response to rapid changes in optical length 413–21
Interferometry, light
charged aerosol particle velocity meas. using Schlieren interferometry with Doppler-shifted light 1962–6
contact error comparison in flat-surface wringing 8–28
Doppler-shifted, with Schlieren system, charged aerosol particle velocity meas. 1962–6
Intermetallic compounds, *see Alloys; Semiconducting materials and under the compounds and alloys of the individual metals*
Internal friction
relaxation peaks, specimen temperature gradient effects, evaluation 1140–1
Ion beam effects
graphite, arcing behaviour, figure of merit 1670–7
refractory metal, arcing behaviour, figure of merit 1670–7
steel, stainless, sputtering and electron emission under Hg ion bombardment, 15–100 keV 1475–9
Mo, sputtering and electron emission under Hg ion bombardment, 15–100 keV 1475–9
W, sputtering and electron emission under Hg ion bombardment, 15–100 keV 1475–9
Ion pumps, *see Vacuum pumps*
Ion sources
positive, new type 1399–402
Ion velocity
benzene, liquid, mobilities of negative and positive charge carriers injected from metal electrodes 75–83
SF_6, mobility and diffusion of negative ions 951–6
Ionic conduction
space-charge, dimensional effects in solids 1488–90
Ionization
Townsend's first coefficient measurement for air in transverse E and H 943–50
θ-pinch, preionization in very low-pressure region, simple method for gases L12–3
Ar–hydrocarbon Penning mixtures, primary and secondary coefficients 789–96
H_2–O_2–N_2 flames containing hydrocarbon gases, ion density meas. technique 1255–62
H_2–O_2–N_2 flames containing hydrocarbon gases, natural ionization dependence on flame composition 1263–74
Ionized gases, *see Plasma*
Ions, *see also Plasma*
reflection of He^+, Ar^+ by Mo target, variations during monoatomic layer formation 594–600
trajectories in sharp edge field ionization 196–202
recombination
MHD, seeded combustion products 1702–12
seeded combustion products, appl. to MHD power generation 1702–12
Irasers, *see Lasers*
Iron
domain walls characteristics in foils, 90° and 180° 797–802
permeability spectra, domains 1586–94

Iron alloys, *see also Steel*
permalloy—4% Mo, magnetocrystalline anisotropy, compound temp. depend. −200–300 °C 1605–8
Fe–Si, permeability spectra, domains 1586–94
Fe–Si polycryst., coercivity, empirical reln with spike-like domain parameters
Ni–Fe film, evaporated, stratification 1495–6
Si–Fe, grain-oriented, hysteresis loops of individual grain walls and domain-wall motion 327–32
Ising model, *see Alloys*

Johnson noise, *see Noise/electrical*
Josephson junction and tunnelling, *see Superconductivity; Superconducting devices*

Kerr effect, *see Electro-optical effects; Magneto-optical effects*
Kink bands, *see Crystal imperfections/dislocations*
Knudsen number, *see Flow; Hydrodynamics*

Lamps, *see Light sources*
Langmuir probes, *see Discharges, electric; Plasma/diagnostics*
Lanthanum compounds
$La_2Sn_2O_7$, properties and use in non-electrical applications for MHD power generation 307–19
Laser beams
evaporation of Al_2O_3 thin films onto Si substrate L7–9
gas breakdown, multiple process, obs. 2005–8
shock pressure and impulse generation in solid materials by Q-switched lasers 358–64
Lasers
ruby, two giant pulse generation, Q-switching 1931–4
Ar ion, lf power and current oscillations L58–61
Ar Z-pinch discharge 924–30
CO_2, 80 W cw, application for Al_2O_3 thin film evaporation on to Si L7–9
Cd ion, continuous wave 4416 Å, output power, gain and oscillation bandwidth 64–8
Nd, intracavity second harmonic, modification for increased efficiency L10–11
Lattice constants, *see Crystal structure, atomic*
Lead compounds
Pb–Bi eutectic alloy, energy dissipated during flux jumps 1423–9
PbF_2, elastic compliances, determ. using composite oscillator technique 430–3
$PbTiO_3$ glass-ceramics, application of dielectric mixture formulae 1058–67
Light modulation
duplex polarization modulation with cubic crystals 884–8
Light sources, *see also Lasers*
monochromatic Hg resonance line (2537 Å) 607–10
Liquid crystals
nematic, static orientation patterns in magnetic fields 889–97
Liquid flow, *see Flow*
Liquid lasers, *see Lasers*
Liquid waves
sea, generation study using Miles' inviscid shear flow theory L17–19
Liquids, *see also Diffusion in liquids*
motion and internal pressure in electrically stressed insulators 580–5
Lithium compounds
LiF, thermoluminescence, impurity effects rel. to mat. prep. for dosimeters 1816–23
LiF, thermoluminescence of annealed crystals, effects of atmosphere and grain size 300–6
LiF, thermoluminescence of dosimetry grade, emission spectrum as function temperature 624–7
LiF : Mg^{2+}, kinetics of dipole aggregation L51–4
LiF–NaF system, solid solubility limit 614–6
Localized states, *see Crystal electron states*
Lorenz number, *see Conductivity, electrical/solids; Conductivity, thermal/solids*
Lubrication
elastic surface, elastohydrodynamic, scaling applied to eqns 1977–80
rubber cylinder, elastohydrodynamic, scaling applied to eqns 1977–80
Luminescence, *see also Electroluminescence; Thermoluminescence*
fluorescence due to excited state absorption in saturable absorbers 758–62
glass : Mn^{2+}, fluorescence decay times 763–9
$(CaMg)(SiO_3)_2$-Ti phosphor, cathodoluminescence, fluctuations in 0·1–40 kHz range 45–53
CdSe, photo-induced changes 1049–57
GaAs epitaxial and polycrystalline layers, photoluminescence 1299–302
InGaP inhomogeneities and impurity concentration variation, photoluminescence excitation spectroscopy obs. 1322–8

Mach number, *see Shock waves*
Macromolecules, *see also Proteins*
x-ray low-angle investigation of structure parameters 815–28
Magnesium
in LiF, impurity effects on thermoluminescence rel. to mat. prep. for dosimeters 1816–23
Magnesium compounds
MgO electrical conductivity at high fields, 400–750 °C 1329–39
Magnetic anisotropy, *see Magnetic properties of substances; Magnetization state, domains*
Magnetic bottles, *see Magnetic fields; Plasma/confinement*
Magnetic domains, *see Magnetization state, domains*
Magnetic field effects
charged particle trajectories in fringe fields 1925–30
Mossbauer sources, thermal cancellation of applied fields 337–40
nematic liquid crystal, static orientation patterns 889–97
Magnetic films, *see Films, solid/magnetic properties*
Magnetic flux, *see Magnetic fields*
Magnetic measurement
magnetometer torque meas. of ferromagnetic single crystal with low magnetocrystalline anisotropy 721–8
torque magnetometry, magnetization deviation, reversal phenomenon 1770–5
Magnetic mirrors, *see Magnetic fields; Plasma/confinement*
Magnetic properties of substances, *see also Films, solid/magnetic properties*
particles, small, coercivity size depend., statistical method 1430–3
semiconductor, ordering temps 1491–4
$Co_zMn_{1-z}Fe_2O_4$, magnetostriction, 2–400 K, comp. depend. 1595–604
ferromagnetic, *see also Magnetization process*
ferrofluid containing Gd and Fe particles, single and polydomain, prep. by evaporation 1985–6
magnetoacoustic mode, coupled, amplification due to interaction with drifting carriers 54–8
magnetocrystalline anisotropy of single crystal, torque meas. made with torque magnetometer 721–8
permalloy—4% Mo, magnetocrystalline anisotropy, comp. and temp. depend., −200–300 °C 1605–8
Fe, particle ferrofluid, single and polydomain, prep. by evaporation on to Hg 1985–6
Fe, polycryst., coercivity empirical reln with spike-like domain parameters 1824–9
Fe, Fe–Si, domain model, permeability spectra 1586–94
Fe–Si alloy, polycryst., coercivity, empirical reln. with spike-like domain parameters 1824–9
Gd particle ferrofluid, single and polydomain, prep. by evaporation on to Hg 1985–8
Gd–Ag amorphous alloy films, Curie temperature L15–17
Mo (4%) permalloys, initial permeability, linear magnetostriction, saturation magnetization 1017–22
Si–Fe, grain-oriented, hysteresis loops of individual domain-wall motion and domain walls 327–32
Magnetic traps and wells, *see Plasma/confinement*
Magnetization process
steel, changes induced by stress in constant applied field 1009–16
torque magnetometry, deviation, reversal phenomenon 1770–5
Mo (4%) permalloy, linear magnetostriction, saturation magnetization, initial permeability 1017–22
Ni, changes induced by stress in constant applied field 1009–16
Si–Fe, magnetization changes induced by stress in constant applied field 1009–16
Magnetization state, domains
ferrofluid containing Gd and Fe particles, single and polydomain, prep. by evaporation, 1985–6
Fe, polycryst., spike-like, rel. to empirical formula for coercivity 1824–9
Fe, Fe–Si, domain model, permeability spectra 1586–94
Fe particle ferrofluid, single and polydomain, prep. by evaporation on to Hg 1985–6
Fe single-crystal foils, 90° and 180° domain walls characteristic 797–802
Fe–Si alloy, spike-like rel. to empirical formula for coercivity 1824–9
Gd particle ferrofluid, single and polydomain, prep. by evaporation on to Hg 1985–6
Ni platelets, domain wall motion under oscillatory and step applied fields 729–35
Si–Fe, grain-oriented, hysteresis loops of individual domain walls and domain-wall motion 327–32

Magneto-optical effects
Ge, p-type, room temperature Faraday rotation measurements at 9·0 GHz 59–63
Si–Fe, grain-oriented, Kerr effect study of lf hysteresis 327–32
Magnetoacoustic effects
ferromagnetic semiconductors, amplification of coupled spinacoustic waves 54–8
Magnetocaloric effects, *see Magnetothermal effects*
Magnetocrystalline anisotropy, *see Magnetic properties of substances*
Magnetogasdynamics, *see Magnetohydrodynamics*
Magnetohydrodynamic waves, *see Magnetohydrodynamics; Plasma/magnetohydrodynamics*
Magnetohydrodynamics, *see also Plasma/magnetohydrodynamics*
Magnetomechanical effects
electron–ion recombination in seeded combustion products 1702–12
generator, arc transition 1080–8
Ni–Cu damping, anisotropy effects 1340–5
Magnetostriction
$Co_xMn_{1-x}Fe_2O_4$, ferrite, 2–400 K, comp. depend. 1595–604
Mo (4%) permalloy, linear magnetostriction, saturation magnetization, initial permeability 1017–22
Magnetothermal effects
Bi–As single crystal alloy, giant Z_{NE} at 4·2 K 617–9
Magnetrons, *see Electron tubes; Microwave techniques and devices*
Manganese
Mn^{3+} in inorganic glass, fluorescence decay times 763–9
Manganese compounds
Mn–Zn ferrites permeability, surface grinding effect 1346–51
Markov processes, *see Statistical analysis*
Materials, *see also individual materials e.g. Ruby*
strain gauge cements, resistance variation mechanism 1785–6
textiles, non-woven, deformation patterns, statistical analysis 269–76
Measurement errors, *see also Statistical analysis*
flat-surface wringing and contact error variability 8–28
Mechanical properties of substances
foams, liquid-filled, dynamic mechanical behaviour 906–16
Mechanics of liquids, *see Hydrodynamics*
Meissner effect, *see Superconductivity*
Mercury
breakdown, electrical, of vapour, below Paschen minimum L55–7
discharge, low-pressure, neutral particle density modulation in positive column modulated at low frequencies 1226–39
discharges, Langmuir probes meas. of plasma density in positive column 1107–12
ion bombardment of stainless steel, W and Mo, sputtering and electron emission 15–100 keV 1475–9
positive column, non-uniform, current limitation and pressure gradients 69–74
resonance line (2537 Å) as stabilized monochromatic radiation source 607–10
seeding in Cs plasma diode, Penning diode 1855–67
vapour, breakdown potential, press. depend. 1782–4
vapour, electrical breakdown below Paschen minimum L55–7
Mercury arc rectifiers
grid-controlled, rotating arcs 1897–904
Mercury compounds
Hg_3Te_3–Ga_2Te_3 system, equilibrium diagram, temperature-composition section 37–44
Mesomorphic state, *see Liquid crystals*
Metal-insulator–metal structures, *see Semiconducting devices/tunnel and interface devices*
Metal-insulator–semiconductor structures, *see Semiconducting devices/tunnel and interface devices*
Metals, *see also Alloys; Semiconductors*
Fermi energy dependence on particle size 139–44
flaw detection using em sound generation L61–3
refractory, arcing behaviour under ion bombard., figure of merit 1670–7
sputtered layers on Ba aluminate cathodes for lowering operating temperatures 443–7
thermal conductivity at high temp. meas. method 1811–15
thermal conductivity measurement at high temperatures 133–8
Microhardness, *see Hardness*
Microprobe analysis, *see Chemical analysis/X-ray*
Microscopy, *see also Electron microscopy*
field emission of C layers 228–30
Microstructure of crystals, *see Crystal structure/microstructure*

Microwave techniques and devices
garnets, crystal structure design for needs of non-reciprocal ferrites, review 251–68
Gunn effect devices with concentric electrodes oscillation frequency variation with applied voltage 1189–98
ZnO, acoustoelectric oscillator, room temp. operation 1993–8
Mirages, *see Atmospheric optics*
Molecular excitation
inert gas dimers, lifetimes from delayed uv radiations obs. on Townsend discharge 1905–11
Molybdenum
sputtering and electron emission under Hg ion bombardment, 15–100 keV 1475–9
target bombarded by He^+, Ar^+, monoatomic layer formation 594–600
Molybdenum compounds
permalloy—4% Mo, linear magnetostriction, saturation magnetization, initial permeability 1017–22
permalloy—4% Mo, magnetocrystalline anisotropy, comp. and temp. depends., −200–300 °C 1605–8
Monte Carlo method, *see Statistical analysis*
Mosaic structure, *see Crystal structure/ microstructure*
Mossbauer effect
source, thermal cancellation of applied magnetic fields 337–40
Motors, *see Electrical machines*

Navier–Stokes equations, *see Flow; Hydrodynamics*
Nematic phase, *see Liquid crystals*
Neodymium
laser, intracavity second harmonic, modification for increased efficiency L10–11
Neon
ultrasoft x-ray absorption cross section, new meas. 1392–8
Ne–He mixture, dc glow discharge, afterglow 1689–95
Nernst effect, *see Magnetothermal effects*
Neutron and antineutron diffusion
H_2O, 18–280 °C, pulsed neutron measurements L1–3
Nickel
domain wall motion under oscillatory and step applied fields in platelets 729–35
magnetization changes induced by stress in constant applied field 1009–16
Nickel alloys, *see also Nickel compounds*
permalloy—4% Mo, magnetocrystalline anisotropy, comp. and temp. depend., −200–300 °C 1605–8
Ni–Cu magnetomechanical damping, anisotropy effects 1340–5
Ni–Fe film, evaporated, stratification 1495–6
Nickel compounds, *see also Nickel alloys*
permalloy—4% Mo, linear magnetostriction, saturation magnetization, initial permeability 1017–22
Niobium compounds
ultrasoft x-ray absorption cross section, new meas. 1392–8
Nb–Ti alloy, superconducting properties and defect structure 125–32
Nitrogen
arcs, freely burning, radial temperature distribution 1247–54
N_2, small-angle electron scattering cross sections, 13, 23 and 43 kV 1480–5
Nitrogen compounds
N_2O/O_2 mixture, liquid–vapour equilibrium, rel. to cylinder storage 1747–58
Noble gases, *see Inert gases*
Noise
cathodoluminescence radiation from CMT-7 phosphor, fluctuations in 0·1–40 kHz range 45–53
electrical
C fibre, elec. resist., mech. strain effects 1615–26
Non-linear optics
harmonic generation in plasmas, conditions for maximum efficiency 377–86
saturable absorber transmission eqn. analysis 1935–43
third harmonic generation using hot-electron non-linearity of semiconductors 988–91
Non-Newtonian fluids, *see Fluids*
Nuclear reactors, fission, theory
analysis, homogeneous and heterogeneous methods, reflected subcritical assembly, effect of coolant channel diameter 422–9
Nuclear–solid interactions, *see Mössbauer effect*
Nuclei
^{57}Co in Pd Mössbauer source, example of thermal cancellation of applied magnetic fields 337–40

Optical communication, *see Laser beams*
Optical constants, *see also under the individual headings e.g. Reflectivity*

reflectance meas. determ. method, optimum angle of incidence 1957–61
rough surface, by ellipsometry, expression derived 1407–9
Ge, under giant-pulse irradiation 1305–13
Optical films, *see Films, liquid; Films, solid/ optical properties*
Optical filters, *see Filters, optical*
Optical instruments, *some instruments are listed separately e.g. Telescopes*
ellipsometer, calibration of analyser and polarizer, modified method 1513–16
Optical properties of substances, *see also Optical constants*
polyvinyl chloride, oriented optical anisotropy 993–1008
thin films, *n*, *k*, *d*, photometric determination accuracy 462–6
InAs thin films, related optical and electrical properties 854–62
Optical quantum generators, *see Lasers*
Optics, non-linear, *see Non-linear optics*
Ordered structure, *see Crystal structure; Solid structure*
Organic compounds, *see also Macromolecules; Polymers*
acetylene, viscosity at atmospheric pressure and 600, 700 K 550–62
benzene, liquid, negative and positive charge carriers injected from metal electrodes, mobilities 75–83
hexane, electrical conductivity, liquid motion and internal pressure effects 580–5
hydrocarbon liquids, elementary charge carrier models 1073–9
Melinex x-ray absorption between 44 and 85 Å 1405–6
methane, ultrasoft x-ray absorption cross section, new meas. 1392–8
nitrobenzene, natural conduction at electric fields of 50–50 000 V cm^{-1} 341–8
polyethylene terephthalate, optical measurements on deformation bands and interpretation 649–62
polyvinyl chloride, oriented, optical anisotropy 993–1008
toluene flowing in large-diameter metal pipes, electrification 563–73
triglycine selenate, ferroelectric, optical energy gap and dielectric constant L29–30
Organometallic compounds, *see under appropriate metal compound heading*
Oscillators
Gunn-effect, transverse doping gradient, possible consequences 437–42
CdS, electroacoustic oscillator strain meas. 751–7
ZnO, acoustoelectric, microwave, room-temp. operation 1993–6
Oscillator effect, *see Semiconductors*
Oscillographs, *see Electrical measurement*
Oseen method, *see Flow; Hydrodynamics*
Oxidation
ceramic zirconates and stannates, resistance to oxidation rel. to potential use in MHD power conversion 307–19
Oxygen
electron mobility, diffusion and attachment 957–64
O_2, ultrasoft x-ray absorption cross section, new meas. 1392–8
O_2/N_2O, O_2/CO_2 mixtures, liquid–vapour equilibria, rel. to cylinder storage 1747–58

Paper
deformation patterns, direct microscopic measurements, statistical analysis 269–76
Paraelectric materials, *see Dielectric properties of substances*
Paramagnetic resonance and relaxation, *see also Lasers*
Gd–Ag amorphous films, Curie temperature measurement L15–17
Particle size, *see also Surface measurement*
alloys, fcc, measurement by method of variance 33–6
ferrofluid containing Gd and Fe particles, single and polydomain 1985–6
metallic spherical, dependence of Fermi energy 139–44
Mie scattering by spheres, first backward lobe 448–50
powder, dielectric correlation with bulk, Landau–Lifshitz–Looyenga's formula 1648–52
Fe in ferrofluid, single and polydomain particles 1985–6
Gd, in ferrofluid, single and polydomain particles 1985–6
LiF annealed crystals, thermoluminescence, effect of grain size, 300–6
Particle velocity analysis
charged aerosol particles, using schlieren interferometry of Doppler-shifted light 1962–6
CO_2/O_2 mixture, liquid–vapour rel. to cylinder storage 1747–58
Peltier effect, *see Thermoelectricity*
Permalloy, *see Iron alloys; Nickel alloys*
Permeability, magnetic, *see Magnetic properties of substances*

Permeability, mechanical, *see also Diffusion in solids*
Permittivity, *see Dielectric properties of substances*
Phase-contrast microscopy, *see Microscopy*
Phase diagrams, *see Phase equilibrium*
Phase equilibrium
  Hg_3Te_3–Ga_2Te_3 system, temperature–composition section of equilibrium diagram 37–44
  N_2O/O_2 mixture, liquid–vapour rel. to cylinder storage 1747–58
Phase meters, *see Electrical measurement*
Phosphorescence, *see Luminescence*
Phosphors, *see Luminescence*
Photoconductivity
  CdS current saturation, crystal inhomogeneity effect on threshold field 1297–8
  CdSe, photo-induced changes 1049–57
  Sb_2S_3, sintered layer, *I–V* charcts., spectral distrib. 1641–4
Photoelectrets, *see Electrets*
Photoelectric cells, *see Photoconductivity; Photoelectricity*
Photoelectric emission, *see Electron emission/photoelectric*
Photoelectricity, *see also Electron emission/photoelectric; Photoconductivity*
  CdS MIS devices, current–voltage and short circuit photocurrents 620–3
Photometers
  calibration of light scattering L45–6
  light-scattering, calibration using colloidal dispersions of Mie scatterers 221–7
  Sofica, light scattering from cylindrical cells 1509–12
Photomultipliers
  electron multiplier statistics, edge effect L73–4
  electron multiplier statistics, edge effect 1290–6
Photoresistors, *see Semiconducting devices*
Physical effects of radiations
  chlorosodalite, photochromism, mechanism from optical data 1438–43
Pinch effect, *see Discharges, electric; Plasma/confinement; Semiconducting materials*
Plasma, *see also Discharges, electric; Electrons; Ions; Space charge*
  electron density meas. by laser self-heterodyne 1122–9
  electron velocity distribution function transient relaxation, weakly ionized L30–4
  harmonic generation, conditions for maximum efficiency 377–86
  high-power constricted discharge column, theoretical analysis 1374–80
  reflection edge in semiconductor thin films 863–70
  θ-pinched, electron-density profiles by holographic interferometry 1387–91
  Ar Z-pinch discharge, laser action 924–30
confinement
  inverse thetatron, dynamics of plasma motion 387–96
  θ-pinch, operation in very low-pressure region, simple method L12–13
devices
  inverse thetatron, dynamics of plasma motion 387–96
  Cs diode, Hg/Cd seeded, Penning effect, 1855–67
diagnostics
  cooled probes for high-pressure measurements of thermal sheaths 176–83
  Fabry–Pérot interferometer, response to rapid changes in optical length 413–21
  probe, electron emitting, modification of ion sheath 1100–6
  probe, plane, voltage drop across pre-sheath 601–6
  probes, Langmuir, plasma density in positive column of low pressure mercury discharge 1107–12
  temperature meas. in local thermodynamic equilib. plasma below 10 000 K 1999–2004
electromagnetic waves
  magnetoplasma, self modulation of amplitude modulated wave 168–75
magnetohydrodynamics
  jet mobility rel. to em and system geometry parameters 1977–80
stability
  ion-sound instability, growth rate, non-linear saturation and mode–mode coupling coeffs 1868–85
  Van der Pol instability, growth rate, non-linear saturation and mode–mode coupling coeffs 1868–85
Plasma diodes, *see Plasma/devices*
Plasma guns, *see Plasma/devices*
Plasma in solids, *see Semiconductors*
Plasma jets, *see Plasma/devices*
Plasma sheath, *see Plasma/confinement*
Plasmoids, *see Plasma*
Plastic deformation
  CaF_2, single crystal, microhardness, dislocation rosettes, rare earth dopant effects 1645–7
Platinum
  thermal conductivity, Lorenz number values, 380–610 K L21–23
Point defects, *see Crystal imperfections*
Point groups, *see Crystal structure, atomic*
Poisseuille flow, *see Flow, Hydrodynamics*

Polarized light
duplex modulation with cubic crystals 884–8
ellipsometer, calibration of analyser and polarizer modified method 1513–16
Polyelectrolytes, *see Polymers*
Polymers
nylon 66, Seebeck coeff. determ. 1987–9
perspex, glassy, fracture props., effect of pre-orientation 1413–22
polyacrylamide solns., dil., flow stabilization and destabilization 1486–7
polyethylene, cold-drawn low-density, tensile creep behaviour 535–49
polyethylene terephthalate, optical measurements on deformation bands and interpretation 649–62
polypropylene x-ray absorption between 44 and 85 Å 1405–6
polystyrene, glassy, fracture props, effect of pre-orientation 1413–22
polyvinyl chloride, positronium lifetime meas. and thermal degradative behaviour 663–71
PVC and polyvinyl acetate thermoelectrets, temperature dependence 829–38
refractive indices, orientation and deformation 643–8
Seebeck coeff. meas. apparatus for high resistivity polymers, polyvinylchloride, Seebeck coeff. determ. 1987–9
Population inversion, *see Lasers*
Positive column, *see Discharges, electric*
Potentiometers, *see Electrical measurement*
Powders, *see also Particle size; Surface measurement*
dielectric correlation with bulk, Landau–Lifshitz–Looyenga's formula, particle size depend. 1648–52
diffraction profiles, tangential contribution to centroid displacement and variance 1403–4
Precipitation
superconductor, binary eutectic alloy, type II, effect on sheath current carrying capacity 1830–6
Pressure
liquid, insulating electrically stressed, internal pressure 580–5
positive column, non-uniform, negative pressure gradient effect on current-carrying capacity 69–74
Probability, *see Statistical analysis*
Proteins
white fish meal, complex permittivity in microwave region as function of temperature and moisture content 1275–83
x-ray low-angle investigation of structure parameters 815–28
Pseudopotential methods, *see Crystal electron states*
Pulse generators, *see Circuits*

Quantum electronics, *see Lasers*
Quenching, optical, *see Luminescence*

Radiation detectors, *see also Photometers*
semiconductor diodes for submillimetre wavelength 473–81
Au–SiO_x–GaAs electroluminescent diodes 807–11
Radiative recombination, *see Luminescence*
Range of particles, *see Energy loss of particles*
Rare gases, *see Inert gases*
Recombination radiation, *see Luminescence*
Rectifiers, *see also Semiconducting devices*
thermal, design 1352–8
Hg arc, grid-controlled, rotating arcs 1897–904
Reflection, light, *see also Films, solid/optical properties*
ellipsometer, calibration of analyser and polarizer modified method 1513–16
semiconductor thin films, plasma reflection edge 863–70
Reflectivity, *see also Films, solid/optical properties*
optical constants determ., optimum angle of incidence 1957–61
Ge crystal under giant-pulse irradiation, enhancement 1305–13
Refraction
n^2 correction of scattering volume 632–4
Refractive index
particle–flame system, complex indices meas. for light 1957–61
polymers, oriented 643–8
Relaxation, *see Paramagnetic resonance and relaxation*
times, limitations on meas. using pulsed Kerr effect 1314–21
Replica techniques, *see Electron microscopy*
Resistance, electrical, *see Conductivity, electrical*
Resistivity, *see Conductivity, electrical*
Reviews
ESRO, aims, structure and achievements 1–7
microwave ferrimagnetic garnets, design rel. to molecular engineering 251–68
Schottky barriers, physics of 1153–67
Reynolds number, *see Flow; Hydrodynamics*
Rubber
lubrication, elastohydrodynamic, scaling applied to eqns 1977–80

Rubidium compounds
RbCl, elastic constants, adiabatic, 140–300 K 1451–60
Ruby
laser, two giant pulse generation, *Q*-switching 1931–4

Scalers, *see Circuits*
Scattering
multiple scattering analysis by diffusion and Monte Carlo methods 397–404
light
fog particles in atmosphere, selective scattering effect on colour of distant light source 96–9
Mie scattering by spheres, first backward lobe 448–50
photometer, Sofica, from cylindrical cells 1509–12
photometers, calibration using colloidal dispersions of Mie scatterers 221–7
Scintillation, *see Luminescence*
Seawater
wave generation by wind, study using Miles' inviscid shear flow theory L17–19
Secondary electron emission, *see Electron emission secondary*
Selenium
crystallographic angles computation 611–3
Semiconducting devices
conduction-mode signals in linear geometry devices in scanning electron microscope 467–72
Schottky barriers height and *I–V* relationship in metal–semiconductor, review of physical processes 1153–67
Si thin device technology 1199–204
diodes
detectors at submillimetre wavelength, Ge, Si, GaAs point-contact and Schottky-barrier diodes 473–81
Au–SiO_x–GaAs electroluminescent diodes, detection properties 807–11
GaAs avalanche diodes, theory for high-efficiency microwave oscillations 1033–43
GaP dynodes, gain variation with voltage L25–7
p-Si, space-charge-limited, current flow, electronic parameters 1990–2
tunnel and interface devices
ignitrons, role of SiC/Hg interface 1284–9
MIM struct. with TiO_2 rel. to conduction obs. of insulator 1837–49
MIS, Au–CaF_2–CdS–In, photoelectric effects 620–3
MOS, formed by Al_2O_3 thin film evaporation on to Si, capacitance–voltage measurements L7–9
Al–CdS–Al structures under unidirectional voltage pulse excitation, negative resistance obs. 1138–8
Semiconductor materials, *see also Photoconductivity*
ferromagnetic, amplification of coupled spin–acoustic waves 54–8
thin films, plasma reflection edge 863–70
majority carrier profile in thin epitaxial layers from Schottky barrier *C–V* characteristics for GaAs 119–82
InAs thin films, getter evaporation 871–6
Si, substrate for deposition of Al_2O_3 thin films by CO_2 laser L7–9
Si diode, p-type space-charge-limited, current flow, electronic parameters 1990–2
Si solar cell charcts, elec. discharge effects 1849–54
SiO, freshly evaporated, irreversible changes in electrical conductivity after atmospheric exposure L75–6
ZnS, single-crystal platelet, cond. switching, $T < -40\,°C$ 1776–81
Semiconductors, *see also Crystal electron states; Photoconductivity*
hot-electron helicon mode conversion 1363–6
magnetic, ordering temps. 1491–4
strain gauge cements, resistance variation mechanism 1785–6
third harmonic generation using hot-electron non-linearity 988–91
Shock tubes
flow modes in tubes with electromagnetic driving sections 203–9
Shock waves, *see also Detonation*
flow modes in tubes with electromagnetic driving sections 203–9
laser produced shock pressure and impulse in solid materials 358–64
structure of marginal detonation waves, microwave velocity meas. 1130–3
Silicon, *see also Semiconducting devices*
chips, thermal diffusivity measurement 236–9
film, vacuum deposition on sapphire substrate, optimum conditions 1627–40
films deposited epitaxially on corundum substrate, stress 770–7
substrate for deposition of Al_2O_3 thin films by CO_2 laser L7–9
thin device technology 1199–204

Silicon compounds
Fe–Si, permeability spectra, domains 1586–94
Fe–Si alloy, polycryst., coercivity, empirical reln with spike-like domain parameters 1824–9
SiC thin films prepared by electron beam evaporation, optical and electrical properties 232–5
Si–Fe, grain oriented, hysteresis loops of individual domain and domain-wall motion 327–32
Si_3N_4 film, *I–V* characteristics at room temperature 803–6
Si_3N_4–SiO_3 film, *I–V* characteristics at room temperature 803–6
Silver
film growth, vacuum-condensed, orientations 839–53
Silver compounds
Gd–Ag amorphous alloy films, preparation and Curie temperature L15–17
Smectic phase, *see Liquid crystals*
Sodium compounds
NaCl, elastic constants, adiabatic, 190–300 K 1451–60
NaCl, etch, pit morphology, dislocation inclination depend. 1796–7
NaF–LiF system, solid solubility limit 614–6
Solid solutions, *see also Alloys*
NaF–LiF, solubility limit by x-ray diffraction 614–6
Solid structure
ceramic zirconates and stannates, rel. to potential use in MHD power conversion 307–19
Space charge
conduction, dimensional effects in solids 1488–90
semiconductor diode, p-Si, space-charge-limited, current flow, electronic parameters 1990–3
space-charge-limited current enhanced by Frankel effect 151–6
p-Si diode, space-charge-limited, current flow, electronic parameters 1990–2
Space research
ESRO, aims, structure and achievements, review 1–7
Sparks, electric, *see also Breakdown, electric*
channel formation in Townsend discharge 1886–96
trigatron gap, breakdown voltage reduction, effect of triggering energy 1497–8
Spectra, *see also Absorption, light*
inert gas dimerization in Townsend discharge from delayed uv radiation obs. 1905–11
Spectroscopic light sources
power distrib. tables for W and blackbody sources 1967–76
Sputtering
in hollow-cathode lamp, diffusion analysis by Monte Carlo method 586–93
metallic coatings on Ba alluminate cathodes for lower operating temperatures 443–7
steel, stainless, under Hg ion bombardment, 15–100 keV 1475–9
Mo, under Hg in bombardment, 15–100 keV 1475–9
W, under Hg ion bombardment, 15–100 keV 1475–9
Standards
spectral power distrib., for W and blackbody radiation 1967–76
thin foils, for electron probe microanalysis of thin foils L70–2
Statistical analysis, *see also Measurement errors*
least squares, complex data 1759–64
applications
deformation patterns in flat bonded fibrous networks 269–76
Monte Carlo method for diffusion of sputtered particles in hollow-cathode lamp 586–93
Monte Carlo method for multiple scattering analysis 397–404
particles, small, coercivity size depend. 1430–3
Steel
magnetization changes induced by stress in constant applied field 1009–16
sputtering and electron emission under Hg ion bombardment, 15–100 keV 1475–9
stainless, sputtering and electron emission under Hg ion bombardment, 15–100 keV 1475–9
Stimulated emission, *see Lasers; Luminescence*
Stochastic processes, *see Statistical analysis*
Stokes flow, *see Flow; Hydrodynamics*
Stopping power, *see Energy loss of particles*
Streamers, *see Discharges, electric*
Stress analysis
Si film deposited epitaxially on corundum substrate 770–7
Stress effects
C fibre, elec. resist., noise 1615–26
Striations, *see Discharges, electric*
Structure factors, *see Crystal structure, atomic*
Structure of matter, *see Crystal structure*
Sulphur compounds
SF_6, mobility and diffusion of negative ions 951–6

Superconducting materials
alloy, binary eutectic, type II, second phase precipitate effect on sheath current carrying capacity 1830–6
filamentary composite, theory and expt 1517–85
hysteresis losses in ac hard superconductors 489–507
Cu–Nb filamentary composites, ac losses 1023–32
Nb strips, measurement of 50 Hz dissipation 898–905
Nb–Ti alloys, defect structure and properties, x-ray diffraction study 125–32
Pb–Bi eutectic alloy, energy dissipated during flux jumps 1423–9
Superconductivity
energy dissipated during flux jumps 1423–9
type II, alloy, binary eutectic, second phase precipitate effect on sheath current carrying capacity 1830–6
type II ac face field losses 717–20
Sn film, effect of oxygen during vacuum deposition 1168–78
Superlative structure, *see Alloys; Crystal structure, atomic*
Surface diffusion, *see Diffusion in liquids; Diffusion in solids; Surface phenomenon*
Surface measurement
ellipsometer, calibration of analyser and polarizer, modified method 1513–16
profiles, for establishment of contact parameters 277–89
Surface phenomena, *see also Adsorption; Electron emission*
contact parameters, establishment from surface profiles 277–89
flat-surface wringing and contact error variability 8–28
preparation of low SEE surfaces by evap. of metal films under high residual gas pressures 1469–74
secondary electron yield, low, prep. by evap. of metal films under high residual gas pressures 1469–74
solid–gas interaction, continuum model 1765–6
Surface tension measurement
drop weight technique 1499–504
Surveys, *see Reviews*

Tables, physical, *see Collections of physical data*
Telescopes
resolution limit, effect of turbulence 93–5
Tellurium
crystallographic angles computation 611–3
Temperature
rise due to electron irradiation 1461–8
Temperature measurement
arcs, moving in Ar 931–42
plasma, local thermodynamic equilib., below 10 000 K without calibration or at parameter use 2005–8
Thermal conductivity, *see Conductivity, thermal*
Thermal diffusivity, *see Conductivity, thermal*
Thermal expansion
ceramic zirconates and stannates, rel. to potential use in MHD power conversion 307–19
Thermal spikes, *see Crystal imperfections; Physical effects of radiations*
Thermionic emission, *see Electron emission/thermionic*
Thermoelectricity
seebeck coeff. meas. apparatus for high resistivity polymers 1987–9
$Bi_{95}Sb_5$: Te, Seebeck coefficient, 80 K 333–6
Thermoluminescence
numerical curve fitting and glow parameters calculation, 243–7
LiF, annealed crystals, sensitivity, effects of atmosphere and grain size 300–6
LiF, dosimetry grade, emission spectrum as function temperature 624–7
LiF, impurity effects rel. to mat. prep. for dosimeters 1816–23
Thermomagnetic effects, *see Magnetothermal effects*
Thermonuclear devices, *see Plasma/devices*
Theta punch, *see Plasma/confinement*
Thickness measurement, *see Particle size*
Thin films, *see Films, solid*
Thomson effect, *see Thermoelectricity*
Tin
superconductive properties and structure of vacuum deposited film, oxygen effect 1168–78
Tin compounds
stannates with pyrochlore structure, properties and application in MHD power generation 307–19
Titanium
in LiF, impurity effects on thermoluminescence rel. to mat. prep. for dosimeters 1816–23
Titanium compounds
Nb–Ti alloy, superconducting properties and defect structure 125–32
TiC fracture under static and sliding contact 783–8
TiO_2, elec. conduction of single cryst. and anodic thin film 1837–48
Transmission, light, *see Absorption/light; Filters, optical*

atmosphere, lower, diffuse transmission over long paths 405–12
saturable absorber, dynamic eqn analysis 1935–43
Transport processes, *see also Diffusion*
gas molecule mean free path, in transition régime 685–96
Traps, *see Crystal electron states/impurity states and effects; Crystal imperfections; Semiconductors*
Triboelectric emission, *see Electron emission*
Tungsten
diffusion of single atoms of Ta, Mo, Re, Ir and Pt on surface field ion microscopy obs. 707–16
sputtering and electron emission under Hg ion bombardment, 15–100 keV 1475–9
Tunnel diodes, *see Semiconducting devices/tunnel and interface devices*
Turbulence, *see also Cavitation; Flow*
telescope, effect of turbulence on limit of resolution 93–5
Type II superconductors, *see Superconductivity*

Ultraviolet sources, *see Light sources*

Vacancies, *see Crystal imperfections/vacancies*
Vacancy breakdown, *see Diffusion in solids*
Vacuum pumps
ionization gauge sensitivity optimization, electron trajectories obs. 1113–21
Valence bands, *see Crystal electron states/band structure*
Velocity measurement
charged aerosol particles, using Schlieren interferometry of Doppler-shifted light 1902–6
Verdet constant, *see Magneto-optical effects*
Vibrations
energy dissipation and attenuation under high-loss conditions 290–9
Viscosity
meas. by subharmonic pressure for bubbles in liquids L47–51
measurement using subharmonic pressure waves generated by gas bubbles in liquids 635–6
CO_2 and acetylene at atmospheric pressure and 600, 700 K 550–62
Vlasov equation, *see Plasma*
Voigt effect, *see Magneto-optical effects*

Water
dissolved in benzene, influence on electric current between metal electrodes 75–83
neutron diffusion measurements 18–280 °C L1–3
fresh, input resistances of electric screens and fish counters 508–25
Wavefront-reconstruction imaging, *see Diffraction/light*
Waves, *see also Elastic waves; Electromagnetic waves; Liquid waves; Magnetohydrodynamics; Shock waves*
pressure, from pulsating gas bubbles in acoustic field in liquids 635–6
Wind
sea wave generation, study using Miles' inviscid shear flow theory L17–19

X-ray absorption
Melinex, 44 Å to 85 Å 1405–6
methane, ultrasoft absorption cross section, new meas. 392–8
polypropylene, 44 Å to 85 Å 1405–6
Ar, ultrasoft absorption cross section new meas. 1392–8
C, mass absorption coefficients, 44 Å–85 Å 1405–6
C, ultrasoft absorption cross section, new meas. 1392–8
H_2, ultrasoft absorption cross section, new meas. 1392–8
He, ultrasoft absorption cross section, new meas. 1392–8
N_2, ultrasoft absorption cross section, new meas. 1392–8
Ne, ultrasoft absorption cross section, new meas. 1392–8
O_2, ultrasoft absorption cross section, new meas. 1392–8
X-ray diffraction
edge-irradiated glancing-angle film technique 210–5
X-ray examination of materials, *see also Chemical analysis/x-ray*
alloys, fcc, particle size and strain measurements by method variance 33–6
carbon fibres, low-angle diffraction 526–34
divergent-beam x-ray topography, high resolution 1144–6
proteins, low-angle investigation of macromolecular parameters 815–28
$CuMnCoO_4$ spinel, structure and ionic configuration 434–6
NaF–LiF system, solid solubility limit determination 614–6
Nb–Ti alloys, defect structure and superconducting properties 125–32
X-ray fluorescence, *see Luminescence*

Zener diodes, *see Semiconducting devices/diodes*
Zinc compounds
ZnO, microwave, acousto-electric

oscillator, room temp. operation 1993–8
ZnO–CdS semiconducting alloy systems, electroluminescence 240–2
ZnS, conductivity switching in single crystal platelets, $T < -40\,^{\circ}C$ 1776–81
ZnS, electroluminescence, direct-current, in Mn and Cu activated specimens 105–20
ZnS : Mn, Ca, ZnS : Er, Cu, dc electrolum. L65–6
ZnSe : Mn, Cu, dc, electrolum. L65–6
Zirconium
thermal conductivity meas. using modified Jain and Krishnan method, 1100–1500 K 1359–62
Zirconium compounds
zirconates with pyrochlore structure, properties and application in MHD power generation 307–19
Zoology
fish counters and electric screens, input resistances 508–25

Author index with titles

Ahad E. and Jennings B.R: light scattering from cylindrical cells in the 'Sofica' photometer (R) 1509

Ahmed M.S. and Ley J.M: switched-voltage tunable birefringent filter 1737

Ahmed S. and Weintroub S: crystallographic angles of selenium and tellurium (R) 611

Alberts L. and Viljoen P.E: semiconduction effects in strain gauge cements (R) 1785

Allen D.A, Fells I. and Fletcher F.J: stable electrical discharge in air (R) 628

Allen J.E. with Rosa R: current-sustained pressure effects in low-pressure arcs 184

Allen W.D. and Hale D.P: energy distribution of fast electrons present in beams from hollow-anode gas discharge electron guns 1912

Anderson J.C. with Cusdin A: conductivity switching in ZnS single-crystal platelets (R) 1776

Anderson W.H.J. and Mol A: simultaneous measurements of the brightness and the energy distribution of electrons emitted from a triode gun 965

Andrew D, Gowers J.P, Henderson J.A, Plummer M.J, Stocker B.J. and Turnbull A.A: GaAs–Cs–O transmission photocathode 320

Attard A.E. with Cutajar M.R: solid solubility in the NaF–LiF system (R) 614

Baboux J.C. with Gouette R, Guillaud C. and Perdrix M: influence de l'adsorption de monocouches de nature connue sur l'émission électronique, cinétic et sur la réflexion ionique d'une cible de molybdène bombardée par des ions de gaz rares 594

Bacis R. and Danière J: étude de la diffusion des particules pulverisées dans une lampe à cathode creuse par la méthode de Monte-Carlo 586

Bailey B.J: viscosity of carbon dioxide and acetylene at atmospheric pressure 550

Baker R.C: effects of non-uniform conductivity fluids in electromagnetic flowmeters (R) 637

Ballentyne D.W.G. and Bye K.L: nature of photochromism in chlorosodalites from optical data 1438

Bansigir K.G. with Bhagavan Raju I.V.K. and Bhima Sankaram T: dependence of etch pit morphology on the inclination of the dislocation in NaCl crystals 1796

Barrand P. with Roberts J.T.A: anisotropy effects in the magnetomechanical damping of nickel–copper alloys 1340

Barrault M.R. with Craig A.D: dynamics of an inverse thetratron 387

Barrault M.R. with Kekez M.M. and Craggs J.D: spark channel formation 1886

Barrow D.E. and Szopiak Z.C: evaluation of the effects of specimen temperature gradient on relaxation peaks 1140

Bassett D.W. and Parsley M.J: field ion microscope studies of transition metal adatom diffusion on (110) (211) and (321) tungsten surface 707

Bates P.A, Popplewell J. and Charles S.W: amorphous Gd–Ag alloy films L15

Becklake E.J, Payne C.D. and Prewer B.E: submillimetre performance of diode detectors using Ge, Si and GaAs 473

Belmont M.R. with Secker P.E: miniature multipole liquid-immersed dielectric motor 216

Bensimon J. and de la Forest Divonne A: stabilisation de la puissance d'un laser argon ionique, oscillations basses fréquences L58

Bew G. with Newton C.O: frequency measurements of Gunn effect devices with concentric electrodes 1189

Bhagavan Raju I.V.K, Bhima Sankaram T. and Bansigir K.G: dependence of etch pit morphology on the inclination of the dislocation in NaCl crystals 1796

Bhagwant Rao M. with Viswanath D.S: thermal conductivity of liquids and its temperature dependence 1444

Bhaskara Rao A. and Padmanabhan G.R: effect of electrical discharge on silicon solar cell characteristics 1849

Bhiday M.R, Paithankar A.S. and Sharda B.L: measurement of Townsend's first ionization coefficient for air in transverse electric and magnetic fields 943

(R) denotes Research Note

Bhide G.K. and Wray F.E: sputtered metallic coatings on barium aluminate cathodes for lower operating temperatures (R) 443

Bhima Sankaram T. with Bhagavan Raju I.V.K. and Bansigir K.G: dependence of etch pit morphology on the inclination of the dislocation in NaCl crystals 1796

Biboroschi L. with Sanduloviciu M. and Popa Gh: uber elektrische Schwingungen einer Niederdruck-Gasentladung mit Gasonode 192

Binnie A.M: suggested test of Miles' inviscid shear flow theory L17

Biradar P.I. and Chatterton P.A: some observations on the effect of annealing temperature on field emission from cathode surface protusions 1653

Bishop J.E.L, Collar P.G. and Lee E.W: magnetic domain studies using permeability spectra—II: iron and silicon iron 1586

Bondi H. and Ortner J: ESRO and its programme (Review) 1

Boon C.R. and Robey J.A: hysteresis loops of individual domain walls and domain-wall motion in grain-oriented 3% Si–Fe 327

Bosi G: trajectories of charged particles in magnetic fringe fields 1925

Bouciqué R. and Mortier P: on the production and the decay of delayed molecular ultraviolet radiation in rare gas Townsend discharges 1905

Bowman B. with Jordan G.R. and Wakelam D: electrical and photographic measurements of high power arcs 1089

Boylett F.D.A, Edwards H.G.J. and Williams B.G: impulse breakdown of positive point–plane gaps in air containing charged particles 1219

Bracken A.B, Broughton G.B. and Hill D.W: equilibria for mixtures of oxygen with nitrous oxide and carbon dioxide and their relevance to the storage of N_2O/O_2 cylinders for use in analgesia 1747

Brailsford D.F: electric field strengths and ion trajectories in sharp-edge field ionization sources 196

Braun E. with Latham R.V: investigation of pre-breakdown cathode microcratering 1663

Brière G.B: comment on natural conduction in nitrobenzene L44

Brignell J.E. with Metzmacher K.D: apparent charge mobility from breakdown times in a dielectric liquid L5

Brinkworth B.J: first backward lobe in Mie scattering by spheres (R) 448

Brinkworth B.J. and Harris D.O: multiple scattering analysis by diffusion and Monte Carlo methods 397

Brinkworth B.J. with Lane W.R, Stone B.R.D. and Edwards J: diffuse transmission of light over long paths in the lower atmosphere 405

Broughton G.B. with Bracken A.B. and Hill D.W: equilibria for mixtures of oxygen with nitrous oxide and carbon dioxide and their relevance to the storage of N_2O/O_2 cylinders for use in analgesia 1747

Brown B.A, Howarth C.R. and Thornton J.D: some significant characteristics of pulsed dc discharges used as reaction promoters in chemical synthesis L67

Brown D.R. with Edwards D.H, Hooper G. and Jones A.T: influence of wall heat transfer on the expansion following a C–J detonation wave 365

Brown G.D. with Teer D.G: application of x-ray topography to the study of fatigued aluminium (R) 812

Brown T.E. and McEwen K.A: purification of barium by repeated distillation (R) 980

Bryckaert D. with Philibert J, Rivory J. and Tixier R: electron probe microanalysis on electron microscope thin foils using thin standards L70

Büget U. with Güvenc M.G: current flow in p-type space-charge-limited silicon diodes (R) 1990

Bui T.K.C. and Wippler C: étalonnage de photogoniodiffusomètre Sofica: correction en fontion de l'indice de réfraction du solvant (R) 632

Bunton G.V: some properties of silicon carbide thin films prepared by electron beam evaporation (R) 232

Butland A.T.D. and Chudley C.T: comments on the paper 'Neutron diffusion measurements in water from 18 to 280°C' L1

Butler D.W, Stoddart C.T.H. and Stuart P.R: stylus or scratch method for thin film adhesion measurement: some observations and comments 877

Bye K.L. with Ballentyne D.W.G: nature of photochromism in chlorosodalites from optical data 1438

Calderwood J.H. with Mirza J.S. and Smith C.W: liquid motion and internal pressure in electrically stressed insulating liquids 580

Campbell J: surface tension measurement by the drop weight technique (R) 1499

Catterall J.A. with Salmon D.R: ac losses in composite superconducting wires 1023

Chakravarti A.K. with Ghatak A.K. and Rattan I: transient relaxation of velocity distribution function of electrons for weakly ionized plasmas L30
Chapman R.A, Meadowcroft D.B. and Walkden A.J: some properties of zirconates and stannates with the pyrochlore structure 307
Charles S.W. with Bates P.A. and Popplewell J: amorphous Gd–Ag alloy films L15
Charles S.W. with Shepherd P.G. and Popplewell J: method of producing ferrofluid with gadolinium particles (R) 1985
Chatterton P.A. with Biradar P.I: some observations on the effect of annealing temperature on field emission from cathode surface protusions 1653
Chattopadhyay D. and Nag B.R: third harmonic generation using the hot-electron non-linearity of semiconductors (R) 988
Chen R. with Mohan N.S: numerical curve fitting for calculating glow parameters (R) 243
Chisholm T. and Stark A.M: technique for the computation of charged-particle trajectories in radio-frequency quadrupole device 1717
Chmielewski A: input resistances of electric screens and counters for fish 508
Chockalingham, Mary J, Nagaraja Rao K, Rangarajan N. and Suryanarayana C.V: studies on sintered photoconductive layers of antimony trisulphide 1641
Chudley C.T. with Butland A.T.D: comments on the paper 'Neutron diffusion measurements in water from 18 to 280 °C' L1
Clark P.E: thermal cancellation of applied magnetic fields for Mössbauer sources 337
Coates P.B: gain of gallium phosphide dynodes L25
Coates P.B: edge effect in electron multiplier statistics 1290
Coddington T, Pollard A.F. and House H: operation of a dielectric motor with a low conductivity liquid 1212
Collar P.G. with Bishop J.E.L. and Lee E.W: magnetic domain studies using permeability spectra—II: iron and silicon iron 1586
Coney M.W.E: electron–ion recombination in seeded combustion products 1702
Cottam M.G: theory for high-efficiency oscillations in gallium arsenide avalanche diodes 1033
Cox G. and Curtis P.B: experimental study of natural ionization in hydrocarbon flames using the negative electrostatic probe at atmospheric pressure: I—a technique for measurement of ion density 1255
Cox G. and Curtis P.B: experimental study of natural ionization in hydrocarbon flames using the negative electrostatic probe at atmospheric pressure: II—the dependence of natural ionization on flame composition 1263
Cox J.M. with Gane N: deformation behaviour of crossed diamond wedges in the scanning electron microscope 121
Craggs J.D. with Kekez M.M. and Barrault M.R: spark channel formation 1886
Craig A.D. and Barrault M.R: dynamics of an inverse thetatron 387
Craik D.J. and Wood M.J: magnetization changes induced by stress in a constant applied field 1009
Creagh D.C: measurements of the radial distribution of temperature in low-current nitrogen arcs 1247
Csillag L, Janossy M, Kantor K, Rozsa K. and Salamon T: investigation on a continuous wave 4416 Å cadmium ion laser 64
Curtis A.R. and Sherry N.P.R: conducting paper technique for the analogue solution of the biharmonic equation 1134
Curtis J.W: effect of pre-orientation on the fracture properties of glassy polymers 1413
Curtis P.B. with Cox G: experimental study of natural ionization in hydrocarbon flames using the negative electrostatic probe at atmospheric pressure: I—a technique for measurement of ion density 1255
Curtis P.B. with Cox G: experimental study of natural ionization in hydrocarbon flames using the negative electrostatic probe at atmospheric pressure: II—the dependence of natural ionization on flame composition 1263
Cusdin A. and Anderson J.C: conductivity switching in ZnS single-crystal platelets (R) 1776
Cutajar M.R. and Attard A.E: solid solubility in the NaF–LiF system (R) 614

Dangor A.E. and Fielding S.J: response of the Fabry–Perot interferometer to rapid changes in optical length 413
Dangor A.E. with Wheeler C.B: measurement of plasma electron density by the laser self-heterodyne 1122
Danière J. with Bacis R: étude de la diffusion des particules pulverisées dans une lampe à cathode creuse par la méthode de Monte-Carlo 586

Darby M.I: on the ordering temperatures of magnetic semiconductors (R) 1491
D'Arcy R.J. and Surplice N.A: effects of stray capacitance on the Kelvin method for measuring contact potential difference 482
Darlington M.N. and Saunders D.W: tensile creep behaviour of cold-drawn low-density polyethylene 535
Date E.H.F: elastic moduli of some composite materials 778
Davis P.F. with Pesch J.A: interpretation of an empirical formula for the coercivity of polycrystalline iron 1824
De M. and Sen Gupta S.P: particle size and strain measurements in fcc alloys by the method of variance 33
Denne D.R: measurements of the ultrasoft x-ray absorption of Ar, Ne, N_2, O_2, CH_4, He and H 1392
Denne D.R: x-ray absorption of polypropylene, Melinex and carbon between 44 and 85 Å (R) 1405
Desai C.C. with Patel A.R: effect of impurities on the plastic deformation of calcium fluoride single crystals 1645
Dew-Hughes D. with McFarlane I.D: measurement of energy dissipated in superconductors during flux jumps 1413
Dodson C.T.J: statistical analysis of patterns of deformation in flat bonded fibrous networks 269
Donovan B.V. and Sexton M.C: thermal conduction energy loss in a helium afterglow 1240
Dryden J.S: Jackson J.H. and Harris A.M: 'kinetics of dipole aggregation in LiF: Mg^{2+}' some comments on a paper by Harris and Jackson L51
Dube D.C: study of Landau–Lifshitz–Looyenga's formula for dielectric correlation between powder and bulk 1648
Dube D.C. and Parshad R: study of Böttcher's formula for dielectric correlation between powder and bulk 677
Dubey P.K: effect of image force on emission of electrons from negatively charged solid particles 145
Dubey P.K. with Sodha M.S: dependence of Fermi energy on size 139
Duckett R.A. with Richardson I.D. and Ward I.M: molecular reorientation and deformation in polymers: II—optical measurements on deformation bands and their interpretation in polyethylene terephthalate 649
Duggin M.J: thermal conductivities of aluminium and platinum L21
Durge V.V. with Tyagi R.C: negative resistance in Al–Cds–Al structures under unidirectional voltage pulse excitation 1183
Dutta P.K. and Wilman H: crystal growth and orientations in vacuum-condensed silver films, and their systematic dependence on the residual air pressure, film thickness, rate of deposition and substrate temperatures 839

Eales B.A. with Mash D.H. and Henshall G.D: thin silicon device technology 1199
Ebrahimi J: thermal diffusivity measurement of small silicon chips (R) 236
Edwards D.H, Brown D.R, Hooper G. and Jones A.T: influence of wall heat transfer on the expansion following a C–J detonation wave 365
Edwards D.H, Hooper G. and Meddins R.J: microwave velocity measurements of marginal detonation waves (R) 1130
Edwards H.G.J. with Boylett F.D.A. and Williams B.G: impulse breakdown of positive point–plane gaps in air containing charged particles 1219
Edwards J. with Lane W.R, Stone B.R.D. and Brinkworth B.J: diffuse transmission of light over long paths in the lower atmosphere 405
Ellis R. with Vecht A, Werring N.J. and Smith P.J.F: further studies on dc electroluminescent phosphors L65
Ellis S.C. with Rossiter M.J. and Rees-Evans D.B: preparation of thermoluminescent lithium fluoride 1816
Engel J.M. and Holmstrom F.E: electron beam testing of wired or printed circuit modules (R) 1505
Erlicki M.S. with Kamil J. and Schieber D: magnetic control of a conducting jet (R) 1981
Ertl M.E, Jacobson D.M. and Johnson H.L: thermomagnetic figures of merit at helium temperatures (R) 617
Evans D.E. and Forrest M.J: two-pulse *Q*-switched high power ruby laser 1931

Fells I. with Allen D.A. and Fletcher F.J: stable electrical discharge in air (R) 628
Fielding S.J. with Dangor A.E: the response of the Fabry–Perot interferometer to rapid changes in optical length 413
Fijnaut H.M. and Zijlstra R.J.J: noise in cathodoluminescence radiation from $(CaMg)(SiO_3)_2$–Ti phosphor 45
Fitch R.K, Mulvey T, Thatcher W.J. and McIlraith A.H: new type of ion source 1399

Fleming R.J. with Ranicar J.H: measuring Seebeck coefficients on high resistivity polymers (R) 1987
Fletcher F.J. with Allen D.A. and Fells I: stable electrical discharge in air (R) 628
Fletcher W.H.W. with Keen B.E: measurement of growth rate, non-linear saturation coefficients, and mode–mode coupling coefficients of a 'Van der Pol' plasma instability 1868
Forgács G: modified method for calibrating the analyser and the polarizer in an ellipsometer (R) 1513
de la Forest Divonne A. with Bensimon J: stabilisation de la puissance d'un laser argon ionique, oscillations basses frequences L58
Forrest M.J. with Evans D.E: two pulsed *Q*-switched high power ruby laser 1931

Galagali R.J. with Nagata I, Horiguchi S, Sakai T. and Nakaya T: optical constants of germanium crystal under giant-pulse irradiation 1305
Gane N. and Cox J.M: deformation behaviour of crossed diamond wedges in the scanning electron microscope 121
Gay R.K.L. and Hartnagel H.L: large-signal characteristics of acoustoelectric gain 736
Gay R.K.L. and Hartnagel H.L: large-signal treatment of various acoustoelectrical phenomena 742
Ghatak A.K, Chakravarti A.K. and Rattan I: transient relaxation of velocity distribution function of electrons for weakly ionized plasmas L30
Gibbs D.F. and Jones B.W: frequency dispersion of dielectrics with continuously varying conductivity 157
Gibson N. and Lloyd F.C: electrification of toluene flowing in large-diameter metal pipes 563
Goldsmid H.J. with McCarthy T.A: electro-deposited copper in bismuth telluride 697
Goldsmid H.J. with Thomas C.B: magneto-Peltier–Seebeck figure of merit of Te-doped $Bi_{85}Sb_5$ at 80 K 333
Goodfellow J.E. and Rhodes R.G: normal precipitates in type II superconducting eutectic alloys 1830
Gopinath A: on scanning-electron-microscope conduction-mode signals in bulk semiconductor devices: linear geometry 467
Gouette R, with Guillaud C, Perdrix M. and Baboux J.C: influence de l'adsorption de monocouches de nature connue sur l'émission électronique, cinétic et sur la réflexion ionique d'une cible de molybdène bombardée par des ions de gaz rare 594
Govindu Raju G.R. with Prabhakara Rao P: natural conduction in nitrobenzene at electric fields of 50–50 000 V cm^{-1} 341
Gowar J: hollow thermionic cathode system used in thyatrons L37
Gowers J.P. with Andrew D, Henderson J.A, Plummer M.J, Stocker B.J. and Turnbull A.A: GaAs–Cs–O transmission photocathode 320
Gozna C.F. with Jervis-Hunter G. and Lloyd O: initiation of arcs by ion bombardment 1670
Grant E.H. with Jordan B.P: permittivity measurements on low and medium loss liquids using a terminated coaxial line 1068
Grant E.H. and Sheppard R.J: the measurement of permittivity of high-loss liquids at microwave frequencies using an unmatched phase changer 84
Grant E.H. with Sheppard R.J. and Jordan B.P: least squares analysis of complex data with applications to permittivity measurements 1759
Greenough R.D. and Lee E.W: the magnetostriction of cobalt–manganese ferrite 1595
Greenwood J.A: lubrication of highly elastic surfaces (R) 1977
Grigsby R. and Slaughter R.J: measurement of 50 Hz dissipation in superconducting niobium strips 898
Grossman D.G. and Isard J.O: application of dielectric mixtures formulae to glass–ceramic system 1058
Guha S: optimum seeding of helium with caesium in MHD power generators 1713
Guile A.E, Naylor K.A. and Wells A: temperature measurement of moving arcs in argon 931
Guillaud C. with Perdrix M, Baboux J.C. and Guoette R: influence de l'adsorption de monocouches de nature connue sur l'émission électronique, cinétic et sur la réflexion ionique d'une cible de molybdène bombardée par des ions de gaz rares 594
Gluyas M, Hughes F.D. and James B.W: elastic constants of sodium chloride and rubidium chloride in the range 140–300 K 1451
Gupta B.M: amplification of coupled spin–acoustic waves in ferromagnetic semiconductors 54
Gupta P.K: finite beam diameter effect in electron microprobe analysis 1919
Güvenc M.G. and Büget U: current flow in p-type space-charge-limited silicon diodes (R) 1990

Hackam R: breakdown potential of mercury vapour between nickel electrodes (R) 1782
Hale D.P. with Allen W.D: energy distribution of fast electrons present in beams from hollow-anode gas discharge electron guns 1912
Halse M.R: ac face field losses in a type II superconductor 717
Hamilton B. and Rawson H: fracture of glass under a stationary ball with combined normal and tangential loading L40
Hargreaves E. with Rider J.G: optical anisotropy in oriented polyvinyl chloride 993
Haroon M.R: effect of coolant channel diameter on homogeneous and heterogeneous methods of reactor analysis in reflected subcritical assembly 422
Harris A.M. and Jackson J.H: emission spectrum of thermoluminescent dosimetry grade lithium fluoride (R) 624
Harris A.M. with Jackson J.H: Dryden J.S: 'kinetics of dipole aggregation in LiF: Mg^{2+}' some comments on a paper by Harris and Jackson L51
Harris D.O. with Brinkworth B.J: multiple scattering analysis by diffusion and Monte Carlo methods 397
Harrison R.G, Key P.Y. and Little V.I: fluorescence due to excited state absorption in saturable absorbers 758
Hart S: elastic compliances of lead fluoride (R) 430
Hart S. and Stevenson R.W.H: elastic compliances of CoF_2 1789
Hartnagel H.L. with Gay R.K.L: large-signal characteristics of acoustoelectric gain 736
Hartnagel H.L. with Gay R.K.L: large signal treatment of various acoustoelectric phenomena 742
Hattori S, Uchida Y. and Matsura K: stabilized monochromatic radiation source using the mercury resonance line (2537 Å) 607
Hayase K. and Okuda T: simple method for operating a theta pinch in a very low pressure region L12
Hayward A.T.J: role of stabilized gas nuclei in hydrodynamic cavitation inception 574
Heaton M.D: calculation of the elastic constants of a undirectional composite containing transversely isotropic fibres 672
Henderson J.A. with Andrew D, Gowers J.P, Plummer M.J, Stocker B.J. and Turnbull A.A: GaAs–Cs–O transmission photocathode 320.
Henshall G.D. with Mash D.H. and Eales B.A: thin silicon device technology 1199
Hepworth J.K: sputtering and electron emission under mercury ion bombardment in the energy range 15–100 keV 1475
Heylen A.E.D: maximization of argon–hydrocarbon Penning mixtures 789
Hill D.W. with Bracken A.B. and Broughton G.B: equilibria for mixtures of oxygen with nitrous oxide and carbon dioxide and their relevance to the storage of N_2O/O_2 cylinders for use in analgesia 1747
Hill J.S, Stoddart C.T.H. and Stuart P.R: the superconductive properties and structure of vacuum-deposited tin films 1168
Hilsum C. with White A.M, Williams E.W. and Porteous P: applications of photoluminescence excitation spectroscopy to the study of indium gallium phosphide alloys 1322
Hilyard N.C. and Kanakkanatt S.V: the dynamic mechanical behaviour of liquid-filled foams 906
Hoff W.D. with Penney J. and Kitchingham W.J: x-ray diffraction studies of the relationship between defect structure and superconducting properties in iobium–titanium alloys 125
Hogan A.F. with Nicholson J.P. and Irving J: electron-density profiles of a theta-pinched plasma by holographic interferometry 1387
Holmstrom F.E. with Engel J.M: electron beam testing of wired or printed circuit modules (R) 1505
Honeyman W.N. and Land D.N: energy gap–temperature characteristics of ferroelectric triglycine selenate L29
Hooper G. with Edwards D.H, Brown D.R. and Jones A.T: influence of wall heat transfer on the expansion following a C–J detonation wave 365
Hooper G. with Edwards D.H. and Meddins R.J: microwave velocity measurements of marginal detonation waves (R) 1130
Horiguchi S. with Nagata I, Galagali R.J, Sakai T. and Nakaya T: optical constants of geranium crystal under giant-pulse irradiation 1305
Hothersall D.C: characteristics of domain walls in single-crystal iron foils (R) 797
House H. with Coddington T. and Pollard A.F: operation of a dielectric motor with a low conductivity liquid 1212
Howarth C.R. with Brown B.A. and Thornton J.D: some significant characteristics of pulsed dc discharges used as reaction promoters in chemical synthesis L67
Howes V.R: observations of a repetitive defect structure at grain boundaries of an alloy (R) 231

Howson R.P: plasma reflection edge in thin films of semiconductors 863
Howson R.P. and Malina V: related optical and electrical properties of thin films of indium arsenide 854
Howson R.P. and Malina V: getter evaporation of pure thin films of indium antimonide 871
Hudson A.S: molecular engineering in the design of microwave ferrimagnetic garnets (Review) 251
Hughes A.J, Maines J.D. and O'Shaughnessey J: strain measurements in the CdS electroacoustic oscillator 751
Hughes F.D. with Gluyas M. and James B.W: elastic constants of sodium chloride and rubidium chloride in the range 140–300 K 1451
Hughes I.D. and Montagu-Pollock H.M: field emission microscopy of carbon (R) 228
Humphreys C.J. with Tanner B.K: high resolution divergent-beam x-ray topography 1144

Illingworth R: laser action and plasma properties of an argon Z-pinch discharge 924
Irving J. with Nicholson J.P. and Hogan A.F: electron-density profiles of a theta-pinched plasma by holographic interferometry 1387
Isard J.O. with Grossman D.G: application of dielectric mixtures formulae to glass–ceramic systems 1058
Islam M.N. and Woods J: effect of crystal inhomogeneity on the threshold field for current saturation in photoconducting CdS (R) 1297

Jackson J.H. with Harris A.M: emission spectrum of thermoluminescent dosimetry grade lithium flouride (R) 624
Jackson J.H. and Harris A.M: Dryden J.S: 'kinetics of dipole aggregation in LiF: Mg^{2+}' some comments on a paper by Harris and Jackson L51
Jacobson D.M. with Ertl M.E. and Johnson H.L: giant thermomagnetic figures of merit at helium temperatures (R) 617
Jain V.K. with Pillai P.K.C: temperature dependence of PVC and polyvinyl acetate thermoelectrets 829
Jain S.C, Sinha V. and Reddy B.K: thermal conductivity of metals at high temperatures by the Jain and Krishnan method:— V. Zirconium 1359
James B.W. with Gluyas M. and Hughes F.D: elastic constants of sodium chloride and rubidium chloride in the range 140–300 K 1451
Janossy M. with Csillag L, Kantor K, Rozsa K. and Salamon T: investigation on a continuous wave 4416 Å cadmium ion laser 64
Janus H.M: room temperature ZnO acoustoelectric microwave oscillator (R) 1993
Jefkins, Diana M: stress in silicon films deposited heteroepitaxially on insulating substrates with particular reference to corundum 770
Jefkins, Diana M. with Lawson R: optimum conditions for the vacuum deposition of silicon on sapphire 1627
Jennings B.R: comments on 'calibration of light scattering photometers VIII' L45
Jennings B.R. with Ahad E: light scattering from cylindrical cells in the 'Sofica' photometer (R) 1509
Jerrard H.G. with Riddiford C.L: limitations on the measurement of relaxation times using a pulsed Kerr effect method 1314
Jervis-Hunter G. with Lloyd O. and Gozna C.F: initiation of arcs by ion bombardment 1670
Johnson D.J. and Tyson C.N: low-angle x-ray diffraction and physical properties of carbon fibres 526
Johnson H.L. with Ertl M.E. and Jacobson D.M: giant thermomagnetic figures of merit at helium temperatures (R) 617
Johnson P.C. and Parker A.B: electrical breakdown of mercury vapour below the Paschen minimum L55
Johnston P.D: measurement of LTE plasma temperatures below 10 000 K (R) 1999
Jones A. with O'Callaghan P.W. and Probert S.D: thermal rectifier 1352
Jones A.T. with Edwards D.H, Brown D.R. and Hooper G: influence of wall heat transfer on the expansion following a C–J detonation wave 365
Jones B.W. with Gibbs D.F: frequency dispersion of dielectrics with continuously varying conductivity 157
Jones O.C: standard spectral power distributions 1967
Jones W.M. and Marshall D.E: stabilization and destabilization in the flow of dilute polyacrylamide solutions (R) 1486
Jordan B.P. and Grant E.H: permittivity measurements on low and medium loss liquids using a terminated coaxial line 1068

Jordan B.P. with Sheppard R.J. and Grant E.H: least squares analysis of complex data with applications to permittivity measurements 1759
Jordan G.R, Bowman B. and Wakelam D: electrical and photographic measurements of high power arcs 1089
Julien L.S. with Miller R.F. and Taylor A.J: optimum angle of incidence for determining optical constants from reflective measurements 1957

Kalyminios D. and Widdis F.C: duplex polarization modulation with cubic crystals 884
Kamil J, Erlicki M.S. and Schieber D: magnetic control of a conducting jet (R) 1981
Kanakkanatt S.V. with Hilyard N.C: the dynamic mechanical behaviour of liquid-filled foams 906
Kantor K. with Csillag L, Janossy M, Rozsa K. and Salamon T: investigation on a continuous wave 4416 Å cadmium ion laser 64
Kaufman A.J. and Schrenk G.L: caesium plasma diodes seeded with mercury or cadmium and the Penning effect 1855
Keen B.E. and Fletcher W.H.W: measurement of growth rate, non-linear saturation coefficients, and mode–mode coupling coefficients of a 'Van der Pol' plasma instability 1868
Kekez M.M, Barrault M.R. and Craggs J.D: spark channel formation 1886
Kent M: complex permittivity of white fishmeal in the microwave region as a function of temperature and moisture content 1275
Key P.Y. with Harrison R.G. and Little V.I: fluorescence due to excited state absorption in saturable absorbers 758
Khan M.N.G.A: positronium lifetime measurements and the thermal degradative behaviour of polyvinyl chloride 663
Kindleysides L. and Woods J: electron traps in cadmium selenide 451
Kindleysides L. and Woods J: photo-induced changes in the photoconductivity and luminescence of CdSe 1049
Kitchingham W.J. with Penney J. and Hoff W.D: x-ray diffraction studies of the relationship between defect structure and superconducting properties in niobium–titanium alloys 125
Kleinheins G: mobilities of negative and positive charge carriers injected from metal electrodes into liquid benzene 75
Knowles J.E: effect of surface grinding upon the permeability of manganese–zinc ferrites 1346
Kragh A.M. with Taylor D.J: determination of the rigidity modulus of thin soft coatings by indentation measurements 29
Kratohvil J.P. and Wallace T.P: calibration of light scattering photometers: VII—calibration by means of colloidal dispersions of Mie scatterers 221
Kulkarni D. and Mande C: x-ray study of the structure and ionic configuration of the spinel $CuMnCoO_4$ (R) 434
Kyanka G.H: on the continuum model for gas–surface interactions (R) 1765

Ladbrooke P.H: some possible consequences of a transverse doping gradient in bulk-effect oscillators (R) 437
Land D.N. with Honeyman W.N: energy gap–temperature characteristics of ferroelectric triglycine selenate L29
Lane W.R, Stone B.R.D, Edwards J. and Brinkworth B.J: diffuse transmission of light over long paths in the lower atmosphere 405
Latham R.V. and Braun E: investigation of pre-breakdown cathode microcratering 1663
Lawson R.W. and Jefkins, Diana M: optimum conditions for the vacuum deposition of silicon on sapphire 1627
Leaver K.D. and Vojdani S: domain wall motion in single-crystal nickel platelets 729
Lee E.W. with Greenough R.D: magnetostriction of cobalt–manganese ferrite 1595
Lee E.W. with Bishop J.E.L. and Collar P.G: magnetic domain studies using permeability spectra—II: iron and silicon iron 1586
Legg K.O. and Meredith D.J: flaw detection in metals using electromagnetic sound generation L61
Leslie F.M: some magnetic-hydrostatic effects in nematic liquid crystals 889
Lewin J.D, Wilson M.N, Walters C.R. with Smith P.F. and Spurway A.H: experimental and theoretical studies of filamentary superconducting composites 1517
Lewis T.J. and Wright A.J: electrical conductivity of magnesium oxide at high fields 1329
Ley J.M. with Ahmed M.S: switched-voltage tunable birefringent filter 1737
Little V.I. with Key P.Y. and Harrison R.G: fluorescence due to excited state absorption in saturable absorbers 758

Lloyd F.C. with Gibson N: electrification of toluene flowing in large-diameter metal pipes 563
Lloyd O, Gozna C.F. and Jervis-Hunter G: initiation of arcs by ion bombardment 1670
Lord R.G: measurements of very small angle scattering of medium energy electrons in gases 1480
Lukáč P: afterglow study in neon–helium mixture 1689
Lukáč P. with Pipišková A: electric field distribution in a cylindrical TM_{010} microwave cavity with end holes and a glass tube 1381

McCarthy T.A. and Goldsmid H.J: electro-deposited copper in bismuth telluride 697
McEwen K.A. with Brown T.E: the purification of barium by repeated distillation (R) 980
McFarlane I.D. and Dew-Hughes D: measurement of energy dissipated in superconductors during flux jumps 1413
McIlraith A.H. with Fitch R.K, Mulvey T. and Thatcher W.J: a new type of ion source 1399
McIntyre D.A: size dependence of the coercivity of small particles: a statistical approach 1430
Madani N. and Nichols K.G: laser-evaporated films of Al_2O_3 on Si L7
Maines J.D. with Hughes A.J. and O'Shaughnessey J: strain measurements in the CdS electroacoustic oscillator 751
Malina V. with Howson R.P: related optical and electrical properties of thin films of indium arsenide 854
Malina V. with Howson R.P: getter evaporation of pure thin films of indium antimonide 871
Mande C. with Kulkarni D: x-ray study of the structure and ionic configuration of the spinel $CuMnCoO_4$ (R) 434
Marshall D.E. with Jones W.M: stabilization and destabilization in the flow of dilute polyacrylamide solutions (R) 1486
Mash D.H, Henshall G.D. and Eales B.A: thin silicon device technology 1199
Mathur R.S. with Tyagi R.C: method of measuring high-temperature thermal conductivity of metals 133
Mathur R.S. with Tyagi R.C: measurement of high temperature thermal conductivity of metals 1811
Matsura K. with Hattori S. and Uchida Y: stabilized monochromatic radiation source using the mercury resonance line (2537 Å) 607
Meadowcroft D.B. with Chapman R.A. and Walkden A.J: some properties of zirconates and stannates with the pyrochlore structure 307
Meddins R.J. with Edwards D.H. and Hooper G: microwave velocity measurements of marginal detonation waves (R) 1130
Megahed I. with Nosseir A: pre-breakdown conduction current pulses in insulating oils under non-uniform field conditions 1205
Meredith D.J. with Legg K.O: flaw detection in metals using electromagnetic sound generation L61
Messerle H.K, Sakuntala M. and Trung D: arc transition in MHD generator 1080
Metzmacher K.D. and Brignell J.E: apparent charge mobility from breakdown times in a dielectric liquid L5
Miller R.F, Taylor A.J. and Julien L.S: optimum angle of incidence for determining optical constants from reflectance measurements 1957
Mirza J.S, Smith C.W. and Calderwood J.H: liquid motion and internal pressure in electrically stressed insulating liquids 580
Mohan H. with Singh V.B: electroluminescence in ZnO–CdS semiconducting alloy systems (R) 240
Mohan N.S. and Chen R: numerical curve fitting for calculating glow parameters (R) 243
Mol A. with Anderson W.H.J: simultaneous measurements of the brightness and the energy distribution of electrons emitted from a triode gun 965
Montagu-Pollock H.M. with Hughes I.D: field emission microscopy of carbon (R) 228
Morant R.A: crystallite size of pyrolytic graphite 1367
Mortier P. with Bouciqué R: on the production and the decay of delayed molecular ultraviolet radiation in rare gas Townsend discharges 1905
Moulson A.J. with Özkan O.T: electrical conductivity of single-crystal and polycrystalline aluminium oxide (R) 983
Mulvey T. with Fitch R.K, Thatcher W.J. and McIlraith A.H: new type of ion source 1399
Murgatroyd P.N: theory of space-charge-limited current enhanced by Frenkel effect 151
Murgatroyd P.N: dimensional considerations for space-charge conduction in solids (R) 1488
Murphy E.J: generation of gases in the dielectric breakdown of oil 917

Nag A. with Ward L: accuracy of some photometric methods for the determination of n, k and d for thin films 462
Nag B.R. with Chattopdhyay D: third harmonic generation using the hot-electron non-linearity of semiconductors (R) 988
Nagahama Y. with Watanabe M. and Someya T: temperature rise of specimen due to electron irradiation 1461
Nagaraja Rao K. with Chockalingham, Mary J, Rangarajan N. and Suryanarayana C.V: studies on sintered photoconductive layers of antimony trisulphide 1641
Nagata I, Galagali R.J, Horiguchi S, Sakai T. and Nakaya T: optical constants of germanium crystal under giant-pulse irradiation 1305
Naidu M.S. and Prasad A.N: mobility and diffusion of negative ions in sulphur hexafluoride 951
Naidu M.S. and Prasad A.N: mobility, diffusion and attachment of electrons in oxygen 957
Nakajima T: effects of atmosphere and grain size on thermoluminescence sensitivity of annealed LiF crystals 300
Nakaya T. with Nagata I, Galagali R.J, Horiguchi S. and Sakai T: optical constants of germanium crystal under giant-pulse irradiation 1305
Naylor K.A. with Guile A.E. and Well A: temperature measurement of moving arcs in argon 931
Newton C.O. and Bew G: frequency measurements of Gunn effect devices with concentric electrodes 1189
Nichols K.G. with Madani N: laser-evaporated films of Al_2O_3 on Si L7
Nicholson J.P, Hogan A.F. and Irving J: electron-density profiles of a theta-pinched plasma by holographic interferometry 1387
Norris W.T: calculation of hysteresis losses in hard superconductors carrying ac: isolated conductors and edges of thin sheets 489
Nosseir A. and Megahed I: pre-breakdown conduction current pulses in insulating oils under non-uniform field conditions 1205

Ortner J. with Bondi H: ESRO and its programme (Review) 1
O'Callaghan P.W, Probert S.D. and Jones A: thermal rectifier 1352
Okuda T. with Hayase K: simple method for operating a theta pinch in a very low pressure region L12
Oldfield R.C: stratification in evaporated nickel–iron films (R) 1495
O'Shaughnessey J. with Hughes A.J. and Maines J.D: strain measurements in the CdS electroacoustic oscillator 751
Owston C.N: electrical properties of single carbon fibres 1615
Özkan O.T. and Moulson A.J: electrical conductivity of single-crystal and polycrystalline aluminium oxide (R) 983

Padmanabhan G.R. with Bhaskara Rao A: effect of electrical discharge on silicon solar cell characteristics 1849
Paithankar A.S. with Bhiday M.R. and Sharda B.L: measurement of Townsend's first ionization coefficient for air in transverse electric and magnetic fields 943
Panda B.C: low-angle x-ray investigation of macromolecules—proteins 815
Papadias B.C: influence of triggering energy in lowering breakdown voltage, of a trigatron spark-gap (R) 1497
Parke S, Watson A.I. and Webb R.S: fluorescence decay times of divalent manganese in organic glasses 763
Parker A.B. with Johnson P.C: electrical breakdown of mercury vapour below the Paschen minimum L55
Parshad R. with Dube D.C: study of Böttcher's formula for dielectric correlation between powder and bulk 677
Parsley M.J. with Bassett D.W: field ion microscope studies of transition metal adatom diffusion on (110) (211) and (321) tungsten surfaces 707
Patel A.R. and Desai C.C: effect of impurities on the plastic deformation of calcium fluoride single crystals 1645
Pathak P.D. and Vasavada N.G: Schottky defects in alkali halides and compressibility (R) 1767
Pattinson E.B. with Thomas S: range of electrons and contribution of back-scattered electrons in secondary production in aluminium 349
Pattinson E.B. with Thomas S: controlled preparation of low SEE surfaces by evaporation of metal films under high residual gas pressures 1469
Payne C.D. with Becklake E.J. and Prewer B.E: submillimetre performance of diode detectors using Ge, Si and GaAs 473
Pearsall T.P: electrical conduction in TiO_2 1837
Penney J, Hoff W.D. and Kitchingham W.J: x-ray diffraction studies of the relationship between defect structure and superconducting properties in niobium–titanium alloys 125

Perdrix M, Baboux J.C, Gouette R. and Guillaud C: influence de l'adsorption de monocouches de nature connue sur l'émission électronique, cinétique et sur la réflexion ionique d'un cible de molybdène bombardée par des ions de gaz rares 594
Pert G.J: flow modes in shock tubes with electromagnetic driving sections 203
Pesch J.A. and Davis P.F: an interpretation of an empirical formula for the coercivity of polycrystalline iron 1824
Philibert J, Rivory J, Bryckaert D. and Tixier R: electron probe microanalysis on electron microscope thin foils using thin standards L70
Phillips J.H. and Sheppard R.G: analysis of torque measurements made with a torque magnetometer on ferromagnetic single-crystal specimens with low magnetocrystalline anisotropy 721
Phillips J.H. and Shephard R.G: linear magnetostriction, saturation magnetization and initial permeability of 4% molybdenum permalloys 1017
Phillips J.H. and Shephard R.G: variation of the magnetocrystalline anisotropy of 4% molybdenum permalloys with composition and temperature 1605
Pillai P.K.C. and Jain V.K: temperature dependence of PVC and polyvinyl acetate thermoelectrets 829
Pipišková A. and Lukáč P: electric field distribution in a cylindrical TM_{010} microwave cavity with end holes and a glass tube 1381
Pittaway L.G: electron trajectories in ionization gauges 1113
Pitts E: indentation of elastic layers 1803
Plummer M.J. with Andrew D, Gowers J.P, Henderson J.A, Stocker B.J. and Turnbull A.A: GaAs–Cs–O transmission photocathode 320
Plummer M.J. with Stocker B.J. and Turnbull A.A: photoluminescence from epitaxial and polycrystalline layers of gallium arsenide (R) 1299
Pollard A.F. with Coddington T. and House H: operation of a dielectric motor with a low conductivity liquid 1212
Popa Gh. with Sanduloviciu M. and Biboroschi L: uber elektrische Schwingungen einer Niederdruck-Gasentladung mit Gasonode 192
Popplewell J. with Bates P.A. and Charles S.W: amorphous Gd–Ag alloy films L15
Popplewell J. with Shepherd P.G. and Charles S.W: method of producing ferrofluid with gadolinium particles (R) 1985
Powell B.D. and Tabor D: the fracture of titanium carbide under static and sliding contact 783
Porteous P. with White A.M, Williams E.W. and Hilsum C: applications of photoluminescence excitation spectroscopy to the study of indium gallium phosphide alloys 1322
Prabhakara Rao P. and Govindu Raju G.R: natural conduction in nitrobenzene at electric fields of 50–50 000 V cm^{-1} 341
Prasad A.N. with Naidu M.S: mobility and diffusion of negative ions in sulphur hexafluoride 951
Prasad A.N. with Naidu M.S: mobility, diffusion and attachment of electrons in oxygen 957
Prasad P. and Srivastava O.N: electron microscope observation of dislocations in cadmium iodide crystals (R) 91
Prewer B.E. with Becklake E.J. and Payne C.D: submillimetre performance of diode detectors using Ge, Si and GaAs 473
Probert S.D. with O'Callaghan P.W. and Jones A: thermal rectifier 1352
Probert S.D. with Thomas T.R: establishment of contact parameters from surface profiles 277

Quigley M.B.C: rotating arcs in grid-controlled mercury arc valves 1897
Quinn T.F.J: edge-irradiated glancing angle x-ray diffraction film technique 210

Ralph J.E. and Tansley T.L: photoelectric effects in cadmium sulphide MIS devices (R) 620
Ralph J.E. with Tansley T.L: photoeffects in metal–insulator–gallium arsenide diodes (R) 807
Rangarajan N. with Chockalingham, Mary J, Nagaraja Rao K. and Suryanarayana C.V: studies on sintered photoconductive layers of antimony trisulphide 1641
Ranicar J.H. and Fleming R.J: measuring Seebeck coefficients on high resistivity polymers (R) 1987
Rattan I. with Ghatak A.K. and Chakravarti A.K: transient relaxation of velocity distribution function of electrons for weakly ionized plasmas L30
Rawson H. with Hamilton B: fracture of glass under a stationary ball with combined normal and tangential loading L40
Ray B, Spencer P.M. and Younger P.A: temperature–composition section of the equilibrium diagram of the pseudo-binary alloy system Hg_3Te_3–Ga_2Te_3 37

Reddy B.K. with Jain S.C. and Sinha V: thermal conductivity of metals at high temperatures by the Jain and Krishnan method:—V. Zirconium 1359
Redshaw S.C. and Rushton K.R: heat conduction with melting simulated on a resistance–capacitance network 1727
Rees-Evans D.B. with Ellis S.C. and Rossiter M.J: preparation of thermoluminescent lithium fluoride 1816
Reeves G.K. and Wilson G.V.H: analysis of modulation-broadened mode admixed Lorentz magnetic resonance line shapes 1609
Reynolds W.N: preferred orientation in polycrystalline materials 1798
Rhoderick E.H: physics of Schottky barriers (Review) 1153
Rhodes R.G. with Goodfellow J.E: normal precipitates in type II superconducting eutectic alloys 1830
Richardson I.D, Duckett R.A. and Ward I.M: molecular reorientation and deformation in polymers: II—optical measurements on deformation bands and their interpretation in polyethylene terephthalate 649
Richardson I.D. and Ward I.M: molecular reorientation and deformation in polymers: I—calculation of refractive indices for general deformation 643
Ricketts B.W: ring discharges in argon with an axial magnetic field 1678
Riddiford C.L. and Jerrard H.G: limitations on the measurement of relaxation times using a pulsed Kerr effect method 1314
Rider J.G. and Hargreaves E: optical anisotropy in oriented polyvinyl chloride 993
Riley J.R: neutral particle density modulation in the positive column of a low-pressure mercury discharge modulated at low frequencies 1226
Rivory J. with Philibert J, Bryckaert D. and Tixier R: electron probe microanalysis on electron microscope thin foils using thin standards L70
Robertson T.S, Sandahl S. and Torven S: current limitation and pressure gradients in the non-uniform long positive column 69
Roberts J.T.A. and Barrand P: anisotropy effects in the magnetomechanical damping of nickel–copper alloys 1340
Robey J.A. with Boon C.R: hysteresis loops of individual domain walls and domain-wall motion in grain-oriented 3% Si–Fe 327
Rohatgi V.K: modification of ion sheath by electron emitting probe 1100
Rosa R. and Allen J.E: current-sustained pressure effects in low-pressure arcs 184
Ross I.N: modification for increased efficiency of an intracavity second harmonic Nd laser L10
Rossiter M.J, Rees-Evans D.B. and Ellis S.C: preparation of thermoluminescent lithium fluoride 1816
Rozsa K. with Csillag L, Janossy M, Kantor K. and Salamon T: investigation on a continuous wave 4416 Å cadmium ion laser 64
Rushton K.R. with Redshaw S.C: heat conduction with melting simulated on a resistance–capacitance network 1727

Safar M.H: exploitation to the subharmonic pressure waves from pulsating gas bubbles in an acoustic field in liquids (R) 635
Safar M.H: use of the phase shift between the fundamental and the second harmonic components in detecting sonically induced cavitation 1147
Safar M.H: Vaughan P.W: measurement of viscosity by the subharmonic pressure threshold for a bubble in a viscous liquid L47
Sahni O: on the use of cooled probes for plasma measurements 176
Sakai T. with Nagata I, Galagali R.J, Horiguchi S. and Nakaya T: optical constants of geranium crystal under giant-pulse irradiation 1305
Sakuntala M. with Messerle H.K. and Trung D: arc transition in MHD generator 1080
Salamon T. with Csillag L, Janossy M, Kantor K. and Rozsa K: investigation on a continuous wave 4416 Å cadmium ion laser 64
Salmon D.R. and Catterall J.A: ac losses in composite superconducting wires 1023
Sandahl S. with Robertson T.S. and Torven S: current limitation and pressure gradients in the non-uniform long positive column 69
Sanduloviciu M, Popa Gh. and Biboroschi L: uber elektrische Schwingungen einer Niederdruck-Gasentladung mit Gasonode 192
Satyam M. with Zarabi M.J: role of silicon carbide/mercury interface in ignitrons 1284
Saunders D.W. with Darlington M.W: tensile creep behaviour of cold-drawn low-density polythylene 535
Sawhney B.K. with Sodha M.S. and Sawhney R.L: optimum harmonic generation in plasmas 377

Sawhney R.L. with Sodha M.S: self modulation of an amplitude modulated wave in magnetoplasmas 168
Sawhney R.L. with Sodha M.S. and Sawhney B.K: optimum harmonic generation in plasmas 377
Schaffer P.S. with Swaroop B: conduction in silicon nitride and silicon nitride-oxide films (R) 803
Schieber D. with Erlicki M.S. and Kamil J: magnetic control of a conducting jet (R) 1981
Schrenk G.L. with Kaufman A.J: caesium plasma diodes seeded with mercury or cadmium and the Penning effect 1855
Schwar M.J.R, Thong K.C. and Weinberg F.J: measuring the mobility of charged aerosols by Schlieren interferometry of Doppler-shifted light 1962
Secemski E: magnetization deviation in torque magnetometry and the torque reversal phenomenon (R) 1770
Secker P.E: elementary charge carrier models for simple hydrocarbon liquids 1073
Secker P.E. and Belmont M.R: a miniature multipole liquid-immersed dielectric motor 216
Selden A.C: analysis of the saturable absorber transmission equation 1935
Sen Gupta S.P. with De M: particle size and strain measurements in fcc alloys by the method of variance 33
Sethi B.R. with Srivastava G.P: room temperature Faraday rotation measurements in p-type germanium at 9·0 GHz 59
Sexton M.C. with Donovan B.V: thermal conduction energy loss in a helium afterglow 1240
Sexton M.C. with Sorensen T.P: thermal conduction energy loss in an argon afterglow 1696
Sharda B.L. with Bhiday M.R. and Paithankar A.S: measurement of Townsend's first ionization coefficient for air in transverse electric and magnetic fields 943
Shephard R.G. with Phillips J.H: analysis of torque measurements made with a torque magnetometer on ferromagnetic single-crystal specimens with low magnetocrystalline anisotropy 721
Shephard R.G. with Phillips J.H: linear magnetostriction, saturation magnetization and initial permeability of 4% molybdenum permalloys 1017
Shephard R.G. with Phillips J. H: variation of the magnetocrystalline anisotropy of 4% molybdenum permalloys with composition and temperature 1605
Shepherd P.G, Popplewell J. and Charles S.W: method of producing ferrofluid with gadolinium particles (R) 1985
Sheppard R.J. with Grant E.H: the measurement of permittivity of high-loss liquids at microwave frequencies using an unmatched phase changer 84
Sheppard R.J, Jordan B.P. and Grant E.H: least squares analysis of complex data with applications to permittivity measurements 1759
Sherry N.P.R. with Curtis A.R: conducting paper technique for the analogue solution of the biharmonic equation 1134
Siddall G.J. and Willey P.C.T.: flat surface wringing and contact error variability 8
Singh V.B. and Mohan H: electroluminescence in ZnO–CdS semiconducting alloy systems (R) 240
Sinha V. with Jain S.C. and Reddy B.K: thermal conductivity of metals at high temperatures by the Jain and Krishnan method:—V. Zirconium 1359
Sirohi R.S: limiting resolution through a turbulent medium L35
Sirohi R.S: effect of fog on the colour of a distant light source (R) 96
Sirohi R.S: optical constants of rough surface by ellipsometry (R) 1407
Sirohi R.S. with Sodha M.S: effect of turbulence on the limit of resolution of a telescope (R) 93
Slaughter R.J. with Grigsby R: measurement of 50 Hz dissipation in superconducting niobium strips 898
Smith A.F: domain wall interactions with non-magnetic inclusions observed by Lorentz microscopy 1044
Smith B.L: majority carrier profile in thin epitaxial layers of GaAs from Schottky barrier (*C–V*) characteristics 1179
Smith C.W. with Mirza J.S. and Calderwood J.H: liquid motion and internal pressure in electrically stressed insulating liquids 580
Smith P.F. with Wilson M.N, Walters C.R, Lewin J.D. and Spurway A.H: experimental and theoretical studies of filamentary superconducting composites 1517
Smith P.J.F. with Vecht A, Werring N.J. and Ellis R: further studies on dc electroluminescent phosphors L65
Sodha M.S. and Dubey P.K: dependence of Fermi energy on size 139
Sodha M.S, Sawhney B.K. and Sawhney R.L: optimum harmonic generation in plasmas 377

Sodha M.S. and Sawhney R.L: self modulation of an amplitude modulated wave in magnetoplasmas 168
Sodha M.S. and Sirohi R.S: effect of turbulence on the limit of resolution of a telescope (R) 93
Someya T. with Watanabe M. and Nagahama Y: temperature rise of specimen due to electron irradiation 1461
Sorensen T.P. and Sexton M.C: thermal conduction energy loss in an argon afterglow 1696
Spencer P.M. with Ray B. and Younger P.A: temperature–composition section of the equilibrium diagram of the pseudo-binary alloy system Hg_3Te_3–Ga_2Te_3 37
Spurway A.H. with Wilson M.N, Walters C.R, Lewin J.D. and Smith P.F: experimental and theoretical studies of filamentary superconducting composites 1517
Srivastava O.N. with Prasad P: electron microscope observation of dislocations in cadmium iodide crystals (R) 91
Srivastava G.P. and Sethi B.R: room temperature Faraday rotation measurements in p-type germanium at 9·0 GHz 59
Stark A.M. with Chisholm T: technique for the computation of charged-particle trajectories in radio-frequency quadrupole devices 1717
Stevenson R.W.H. with Hart S: the elastic compliances of CoF_2 1789
Steverding B: pressure and impulse generation by Q-switched lasers 358
Stocker B.J. with Andrew D, Gowers J.P, Henderson J.A, Plummer M.J. and Turnbull A.A: GaAs–Cs–O transmission photocathode 320
Stocker B.J, Plummer M.J. and Turnbull A.A: photoluminescence from epitaxial and polycrystalline layers of gallium arsenide (R) 1299
Stoddart C.T.H. with Butler D.W. and Stuart P.R: stylus or scratch method for thin film adhesion measurement: some observations and comments 877
Stoddart C.T.H. with Hill J.S. and Stuart P.R: the superconductive properties and structure of vacuum-deposited tin films 1168
Stone B.R.D. with Lane W.R, Edwards J. and Brinkworth B.J: diffuse transmission of light over long paths in the lower atmosphere 405
Stops D.W: the mean free path of gas molecules in the transition régime 685
Stuart P.R. with Butler D.W. and Stoddart C.T.H: stylus or scratch method for thin film adhesion measurement: some observations and comments 877
Stuart P.R. with Hill J.S. and Stoddart C.T.H: superconductive properties and structure of vacuum-deposited tin films 1168
Surplice N.A. with D'Arcy R.J: effects of stray capacitance on the Kelvin method for measuring contact potential difference 482
Suryanarayana C.V. with Chockalingham, Mary J, Rangarajan N. and Nagaraja Rao, K: studies on sintered photoconductive layers of antimony trisulphide 1641
Swaroop B. and Schaffer P.S: conduction in silicon nitride and silicon nitride-oxide films (R) 803
Szopiak Z.C. with Barrow D.E: evaluation of the effects of specimen temperature gradient on relaxation peaks 1140

Tabor D. with Powell B.D: fracture of titanium carbide under static and sliding contact 783
Tanner B.K. and Humphreys C.J: high resolution divergent-beam x-ray topography 1144
Tansley T.L. and Ralph J.E: photoeffects in metal–insulator–gallium arsenide diodes (R) 807
Tansley T.L. with Ralph J.E: photoelectric effects in cadmium sulphide MIS devices (R) 620
Taylor A.J. with Miller R.F. and Julien L.S: optimum angle of incidence for determining optical constants from reflectance measurements 1957
Taylor D.J. and Kragh A.M: determination of the rigidity modulus of thin soft coatings by indentation measurements 29
Teer D.G. and Brown G.D: application of x-ray topography to the study of fatigued aluminium (R) 812
Thatcher W.J. with Fitch R.K, Mulvey T. and McIlraith A.H: new type of ion source 1399
Thomas C.B. and Goldsmid H.J: magneto-Peltier–Seebeck figure of merit of Te-doped $Bi_{85}Sb_5$ at 80 K 333
Thomas R.T: time dependence of the electrical conductivity of $BaTiO_3$ single crystals heated in oxygen 1434
Thomas S. and Pattinson E.B: range of electrons and contribution of back-scattered electrons in secondary production in aluminium 349
Thomas S. and Pattinson E.B: controlled preparation of low SEE surfaces by evaporation of metal films under high residual gas pressures 1469

Thomas T.R. and Probert S.D: establishment of contact parameters from surface profiles 277
Thong K.C. with Schwar M.J.R. and Weinberg F.J: measuring the mobility of charged aerosols by Schlieren interferometry of Doppler-shifted light 1962
Thornton J.D. with Brown B.A. and Howarth C.R: some significant characteristics of pulsed dc discharges used as reaction promoters in chemical synthesis L67
Tixier R. with Philibert J, Rivory J. and Bryckaert D: electron probe microanalysis on electron microscope thin foils using thin standards L70
Torven S. with Robertson T.S. and Sandahl S: current limitation and pressure gradients in the non-uniform long positive column 69
Tripathi V.K: hot-electron helicon mode conversion in a semiconductor 1363
Trung D. with Messerle H.K. and Sakuntala M: arc transition in MHD generator 1080
Turnbull A.A. with Andrew D, Gowers J.P, Henderson J.A, Plummer M.J. and Stocker B.J: GaAs–Cs–O transmission photocathode 320
Turnbull A.A. with Stocker B.J. and Plummer M.J: photoluminescence from epitaxial and polycrystalline layers of gallium arsenide (R) 1299
Tyagi R.C. and Durge V.V: negative resistance in Al–CdS–Al structures under unidirectional voltage pulse excitation 1183
Tyagi R.C. and Mathur R.S: method of measuring high-temperature thermal conductivity of metals 133
Tyagi R.C. and Mathur R.S: measurement of high temperature thermal conductivity of metals 1811
Tyson C.N. with Johnson D.J: low-angle x-ray diffraction and physical properties of carbon fibres 526

Uchida Y. with Matsura K. and Hattori S: stabilized monochromatic radiation source using the mercury resonance line (2537 Å) 607

Varey R.H: voltage drop across the pre-sheath of a plane probe 601
Varey R.H: Langmuir probes and ion flow 1107
Vasavada N.G. with Pathak P.D: Schottky defects in alkali halides and compressibility (R) 1767
Vaughan P.W: Safar M.H: measurement of viscosity by the subharmonic pressure threshold for a bubble in a viscous liquid L47
Vecht A. and Werring N.J: direct current electroluminescence in ZnS (Review) 105
Vecht A, Werring N.J, Ellis R. and Smith P.J.F: further studies on dc electroluminescent phosphors L65
Viljoen P.E. with Alberts L: semiconduction effects in strain gauge cements (R) 1785
Viswanath D.S. and Bhagwant Rao M: thermal conductivity of liquids and its temperature dependence 1444
Vojdani S. with Leaver K.D: domain wall motion in single-crystal nickel platelets 729

Wakelam D. with Jordan G.R. and Bowman B: electrical and photographic measurements of high power arcs 1089
Walkden A.J. with Chapman R.A. and Meadowcroft D.B: some properties of zirconates and stannates with the pyrochlore structure 307
Wallace T.P. with Kratohvil J.P: calibration of light scattering photometers: VII—calibration by means of colloidal dispersions of Mie scatterers 221
Walters C.R. with Wilson M.N, Lewin J.D, Smith P.F. and Spurway A.H: experimental and theoretical studies of filamentary superconducting composites 1517
Ward I.M. with Richardson I.D: molecular reorientation and deformation in polymers: I—calculation of refractive indices for general deformation 643
Ward I.M. with Richardson I.D. and Duckett R.A: molecular reorientation and deformation in polymers: II—optical measurements on deformation bands and their interpretation in polyethylene terephthalate 649
Ward L. and Nag A: accuracy of some photometric methods for the determination of *n*, *k* and *d* for thin films 462
Watanabe M, Someya T. and Nagahama Y: temperature rise of specimen due to electron irradiation 1461
Waterman H.A: energy dissipation and attenuation under high-loss conditions 290
Watson A.I. with Parke S. and Webb R.S: fluorescence decay times of divalent manganese in organic glasses 763
Webb R.S. with Parke S. and Watson A.I: fluorescence decay times of divalent manganese in organic glasses 763

Weinberg F.J. with Schwar M.J.R. and Thong K.C: measuring the mobility of charged aerosols by Schlieren interferometry of Doppler-shifted light 1961
Weintroub S. with Ahmed S: crystallographic angles of selenium and tellurium (R) 611
Wells A. with Guile A.E. and Naylor K.A: temperature measurement of moving arcs in argon 931
Werring N.J. with Vecht A: direct current electroluminescence in ZnS (Review) 105
Werring N.J. with Vecht A, Ellis R. and Smith P.J.F: further studies on dc electroluminescent phosphors L65
Wheeler C.B: high-power constricted plasma discharge column: I—theoretical analysis 1374
Wheeler C.B. and Dangor A.E: measurement of plasma electron density by the laser self-heterodyne 1122
White A.M, Williams E.W, Porteous P. and Hilsum C: applications of photoluminescence excitation spectroscopy to the study of indium gallium phosphide alloys 1322
Widdis F.C. with Kalyminios D: duplex polarization modulation with cubic crystals 884
Willey P.C.T. with Siddall G.J: flat surface wringing and contact error variability 8
Williams B.G. with Boylett H.G. and Edwards H.G.J: impulse breakdown of positive point–plane gaps in air containing charged particles 1219
Williams E.W. with White A.M, Porteous P. and Hilsum C: applications of photoluminescence excitation spectroscopy to the study of indium gallium phosphide alloys 1322
Willis C: complex refractive index of particles in a flame 1944
Wilman H. with Dutta P.K: crystal growth and orientations in vacuum-condensed silver films and their systematic dependence on the residual air pressure, film thickness, rate of deposition and substrate temperature 839
Wilson A.J.C: tangential contribution to centroid displacement and variance of powder diffraction profiles (R) 1403
Wilson G.V.H. with Reeves G.K: analysis of modulation-broadened mode admixed Lorentz magnetic resonance line shapes 1609
Wilson J.R: laser-induced multiple breakdown in gases (R) 2004
Wilson M.N, Walters C.R, Lewin J.D, Smith P.F. and Spurway A.H: experimental and theoretical studies of filamentary superconducting composites 1517
Wippler C. with Bui T.K.C: étalonnage de photogoniodiffusomètre Sofica: correction en fontion de l'indice de réfraction du solvant (R) 632
Wood M.J. with Craik D.J: magnetization changes induced by stress in a constant applied field 1009
Woods J. with Islam M.N: effect of crystal inhomogeneity on the threshold field for current saturation in photoconducting CdS (R) 1297
Woods J. with Kindleysides L: electron traps in cadmium selenide 451
Woods J. with Kindleysides L: photo-induced changes in the photoconductivity and luminescence of CdSe 1049
Wray F.E. with Bhide G.K: sputtered metallic coatings on barium aluminate cathodes for lower operating temperatures (R) 443
Wright A.J. with Lewis T.J: electrical conductivity of magnesium oxide at high fields 1329

Younger P.A. with Ray B. and Spencer P.M: temperature-composition section of the equilibrium diagram of the pseudo-binary alloy system Hg_3Te_3–Ga_2Te_3 37

Zarabi M.J. and Satyam M: role of silicon carbide/mercury interface in ignitrons 1284
Zijlstra R.J.J. with Fijnaut H.M: noise in cathodoluminescence radiation from a $(CaMg)(SiO_3)_2$–Ti phosphor 45

Book review index

Adamczewski I: Ionization, Conductivity and Breakdown in Dielectric Liquids 103
Ambrioziak I.A: Semiconductor Photoelectric Devices 103
Alexander L.E: X-ray Diffraction Methods in Polymer Science 1412
Armenakas A.E, Gazis D.C. and Herrmann G: Free Vibrations of Circular Cylindrical Shells 248
Baden Fuller A.J: Microwaves 1411
Beck A.H: Handbook of Vacuum Physics, Vol. 2, Physical Electronics 104
Billings A.R: Tensor Properties of Materials 1411
Chalmers B: Progress in Materials Science, Vol. 13 1152
Chayen J. and Denby E.F: Biophysical Technique as Applied to Cell Biology 100
Haywood B.J: Electrophoresis Technical Applications: A Bibliography of Abstracts 814
Helstrom C.W: Statistical Theory of Signal Detection 100
Herman H: Advances in Materials Research Vol. 3 248
Hoyaux M.F: Arc Physics, Vol. 8 1150
Hudson R.D: Infrared System Engineering 1303
Hurst G.S. and Turner J.E: Elementary Radiation Physics 1787
Institute of Physics and the Physical Society: Gallium Arsenide, Proceedings of the 2nd International Symposium, Dallas, Texas, October 1968 102
Kerker M: The Scattering of Light and other Electromagnetic Radiation 641
King R.W.P, Mack R.B. and Sandler S.S: Arrays of Cylindrical Dipoles 103
Kovalenko A.D: Thermo-elasticity 1410
Liebowwitz H: Fracture, Vol. 5 101
Mason W.P. and Thurston R.N: Physical Acoustics 1410
Scott-Blair G.W: Elementary Rheology 642
Sneddon I.N. and Lowengrub M: Crack Problems in the Classical Theory of Elasticity 1787
Stroke G.W: Introduction to Coherent Optics and Holography 1303
Theocaris P.S: Moire Fringes in Strain Analysis 640
Wilson E.M: Engineering Hydrology 102
Wolfe R: Applied Solid State Science, Vol. 1, Advances in Materials and Device Research 640
Young L: Advances in Microwaves, Vol. 4 814

Volume 3
Pages 1–2050, L1–80
1970

Journal of
Physics D

Applied Physics

Published by
The Institute of Physics and The Physical Society
London and Bristol

Officers

Editorial Board 1970

Dr R S Pease MA SCD *Honorary Editor*
Dr J M Burch MA PHD FINSTP
Professor A J Forty PHD DSC
Professor D H Parkinson MA PHD FINSTP
Dr M J Stowell BSC PHD AINSTP
Professor R S Tebble PHD DSC FINSTP
Professor L R G Treloar OBE PHD DSC FINSTP

Assistant editor

P A Tulett

Contents

JANUARY 1970

LETTERS

Comments on the paper 'Neutron diffusion measurements in water from 18 to 280 °C' . . . . . A. T. D. BUTLAND and C. T. CHUDLEY L1

REVIEW ARTICLE

ESRO and its programme . . . . . H. BONDI and J. ORTNER 1

PAPERS

Flat-surface wringing and contact error variability G. J. SIDDALL and P. C. T. WILEY 8

Determination of the rigidity modulus of thin soft coatings by indentation measurements . . . . . D. J. TAYLOR and A. M. KRAGH 29

Particle size and strain measurements in fcc alloys by the method of variance . . . . . M. DE and S. P. SEN GUPTA 33

Temperature–composition section of the equilibrium diagram of the pseudo-binary alloy system Hg_3Te_3–Ga_2Te_3 . . . B. RAY, P. M. SPENCER and P. A. YOUNGER 37

Noise in cathodoluminescence radiation from a $(CaMg)(SiO_3)_2$–Ti phosphor . . . . . H. M. FUNAUT and R. J. J. ZULSTRA 45

Amplication of coupled spin–acoustic waves in ferromagnetic semiconductors . . . . . B. M. GUPTA 54

Room temperature Faraday rotation measurements in p-type germanium at 9·0 GHz . . . . . G. P. SRIVASTAVA and B. R. SETHI 59

Investigation on a continuous wave 4416 Å cadmium ion laser . . . . . L. CSILLAG, M. JÁNOSSY, K. KANTOR, K. RÓZSA and T. SALAMON 64

Current limitation and pressure gradients in the non-uniform long positive column . . . . . T. S. ROBERTSON, S. SANDAHL and S. TORVÉN 69

Mobilities of negative and positive charge carriers injected from metal electrodes into liquid benzene . . . . . G. KLEINHEINS 75

The measurement of permittivity of high-loss liquids at microwave frequencies using an unmatched phase changer . . . . E. H. GRANT and R. J. SHEPPARD 84

RESEARCH NOTES

Electron microscope observation of dislocations in cadmium iodide crystals (1 plate) . . . . . P. PRASAD and O. N. SRIVASTAVA 91

Effect of turbulence on the limit of resolution of a telescope . . . . . M. S. SODHA and R. S. SIROHI 93

Effect of fog on the colour of a distant light source . . . . . R. S. SIROHI 96

BOOK REVIEWS 100

FEBRUARY 1970

LETTERS

Apparent charge mobility from breakdown times in a dielectric liquid . . . . . K. D. METZMACHER and J. E. BRIGNELL L5

REVIEW ARTICLE

Direct current electroluminescence in ZnS . . A. VECHT and N. J. WERRING 105

PAPERS

The deformation behaviour of crossed diamond wedges in the scanning electron microscope (1 plate) . . . . . N. GANE and J. M. COX 121

X-ray diffraction studies of the relationship between defect structure and superconducting properties in niobium–titanium alloys . . . . . J. PENNEY, W. D. HOFF and W. J. KITCHINGMAN 125

A method of measuring high-temperature thermal conductivity of metals . . . . . R. C. TYAGI and R. S. MATHUR 133

Dependence of Fermi energy on size . . . M. S. SODHA and P. K. DUBEY 139
Effect of image force on emission of electrons from negatively charged solid particles . . . . . P. K. DUBEY 145
Theory of space-charge-limited current enhanced by Frenkel effect P. N. MURGATROYD 151
The frequency dispersion of dielectrics with continuously varying conductivity . . . . . D. F. GIBBS and B. W. JONES 157
Self-modulation of an amplitude modulated wave in magnetoplasmas . . . . . M. S. SODHA and R. L. SAWHNEY 168
On the use of cooled probes for plasma measurements . . . . . O. SAHNI 176
Current-sustained pressure effects in low-pressure arcs . RUI ROSA and J. E. ALLEN 184
Über elektrische Schwingungen einer Niederdruck-Gasentladung mit Gasonode . . . . . M. SANDULOVICIU, GH. POPA und L. BIBOROSCH 192
Electric field strengths and ion trajectories in sharp-edge field ionization sources . . . . . D. F. BRAILSFORD 196
Flow modes in shock tubes with electromagnetic driving sections . . . G. J. PERT 203
The edge-irradiated glancing angle x-ray diffraction film technique (1 plate) . . . . . T. F. J. QUINN 210
A miniature multipole liquid-immersed dielectric motor . . . . . P. E. SECKER and M. R. BELMONT 216
Calibration of light scattering photometers: VII—Calibration by means of colloidal dispersions of Mie scatterers . . . J. P. KRATOHVIL and T. P. WALLACE 221

RESEARCH NOTES
Field emission microscopy of carbon (2 plates) . . . . . I. D. HUGHES and H. M. MONTAGU-POLLOCK 228
Observations of a repetitive defect structure at grain boundaries of an alloy (1 plate) . . . . . V. R. HOWES 231
Some properties of silicon carbide thin films prepared by electron beam evaporation (1 plate) . . . . . G. V. BUNTON 232
Thermal diffusivity measurement of small silicon chips . . . J. EBRAHIMI 236
Electroluminescence in ZnO–CdS semiconducting alloys systems . . . . . V. B. SINGH and H. MOHAN 240
Numerical curve fitting for calculating glow parameters . N. S. MOHAN and R. CHEN 243

BOOK REVIEWS 248

CORRIGENDA 250

MARCH 1970

LETTERS TO THE EDITOR
Laser-evaporated films of Al_2O_3 on Si . . . N. MADANI and K. G. NICHOLS L7
Modification for increased efficiency of an intracavity second harmonic Nd laser . . . . . I. N. ROSS L10
A simple method for operating a theta pinch in a very low pressure region . . . . . K. HAYASE and T. OKUDA L12

REVIEW ARTICLE
Molecular engineering in the design of microwave ferrimagnetic garnets A. S. HUDSON 251

PAPERS
The statistical analysis of patterns of deformation in flat bonded fibrous networks . . . . . C. T. J. DODSON 269
Establishment of contact parameters from surface profiles (2 plates) . . . . . T. R. THOMAS and S. D. PROBERT 277
Energy dissipation and attenuation under high-loss conditions . H. A. WATERMAN 290
Effects of atmosphere and grain size on thermoluminescence sensitivity of annealed LiF crystals . . . . . T. NAKAJIMA 300
Some properties of zirconates and stannates with the pyrochlore structure . . . . . R. A. CHAPMAN, D. B. MEADOWCROFT and A. J. WALKDEN 307
A GaAs–Cs–O transmission photocathode . . . . . D. ANDREW, J. P. GOWERS, J. A. HENDERSON, M. J. PLUMMER, B. J. STOCKER and A. A. TURNBULL 320
The hysteresis loops of individual domain walls and domain-wall motion in grain-oriented 3% Si–Fe . . . . . C. R. BOON and J. A. ROBEY 327

The magneto-Peltier–Seebeck figure of merit of Te-doped $Bi_{88}Sb_{12}$ at 80 K . . . . . C. B. THOMAS and H. J. GOLDSMID 333
Thermal cancellation of applied magnetic fields for Mössbauer sources P. E. CLARK 337
Natural conduction in nitrobenzene at electric fields of 50–50 000 V cm^{-1} . . . . . P. PRABHAKARA RAO and G. R. GOVINDA RAJU 341
Range of electrons and contribution of back-scattered electrons in secondary production in aluminium . . . . . S. THOMAS and E. B. PATTINSON 349
Pressure and impulse generation by *Q*-switched lasers . . . . . B. STEVERDING 358
The influence of wall heat transfer on the expansion following a C–J detonation wave . . . . . D. H. EDWARDS, D. R. BROWN, G. HOOPER and A. T. JONES 365
Optimum harmonic generation in plasmas . . . . . M. S. SODHA, B. K. SAWHNEY and R. L. SAWHNEY 377
The dynamics of an inverse thetatron . . . A. D. CRAIG and M. R. BARRAULT 387
Multiple scattering analysis by diffusion and Monte Carlo methods . . . . . B. J. BRINKWORTH and D. O. HARRIS 397
Diffuse transmission of light over long paths in the lower atmosphere . . . . . W. R. LANE, B. R. D. STONE, J. EDWARDS and B. J. BRINKWORTH 405
The response of the Fabry–Pérot interferometer to rapid changes in optical length . . . . . A. E. DANGOR and S. J. FIELDING 413
Effect of coolant channel diameter on homogeneous and heterogeneous methods of reactor analysis in reflected subcritical assembly . . . . M. R. HAROON 422

RESEARCH NOTES
The elastic compliances of lead fluoride . . . . . S. HART 430
X-ray study of the structure and ionic configuration of the spinel $CuMnCoO_4$ . . . . . D. K. KULKARNI and C. MANDE 434
Some possible consequences of a transverse doping gradient in bulk-effect oscillators . . . . . P. H. LADBROOKE 437
Sputtered metallic coatings on barium aluminate cathodes for lower operating temperatures . . . . . G. K. BHIDE and F. E. WRAY 443
The first backward lobe in Mie scattering by spheres . . . B. J. BRINKWORTH 448

APRIL 1970

LETTERS TO THE EDITOR
Amorphous Gd–Ag alloy films . P. A. BATES, J. POPPLEWELL and S. W. CHARLES L15
A suggested test of Miles' inviscid shear flow theory. . . . . A. M. BINNIE L17

PAPERS
Electron traps in cadmium selenide . . . . L. KINDLEYSIDES and J. WOODS 451
The accuracy of some photometric methods for the determination of *n*, *k* and *d* for thin films . . . . . L. WARD and A. NAG 462
On scanning-electron-microscope conduction-mode signals in bulk semiconductor devices: Linear geometry (1 plate) . . . . . A. GOPINATH 467
Submillimetre performance of diode detectors using Ge, Si and GaAs . . . . . E. J. BECKLAKE, C. D. PAYNE and B. E. PREWER 473
The effects of stray capacitance on the Kelvin method for measuring contact potential difference . . . . . R. J. D'ARCY and N. A. SURPLICE 482
Calculation of hysteresis losses in hard superconductors carrying ac: isolated conductors and edges of thin sheets . . . . . W. T. NORRIS 489
Input resistances of electric screens and counters for fish . . . A. CHMIELEWSKI 508
Low-angle x-ray diffraction and physical properties of carbon fibres . . . . . D. J. JOHNSON and C. N. TYSON 526
The tensile creep behaviour of cold-drawn low-density polyethylene . . . . . M. W. DARLINGTON and D. W. SAUNDERS 535
The viscosity of carbon dioxide and acetylene at atmospheric pressure B. J. BAILEY 550
Electrification of toluene flowing in large-diameter metal pipes . . . . . N. GIBSON and F. C. LLOYD 563
The role of stabilized gas nuclei in hydrodynamic cavitation inception (1 plate) . . . . . A. T. J. HAYWARD 574
Liquid motion and internal pressure in electrically stressed insulating liquids (1 plate) . . . . . J. S. MIRZA, C. W. SMITH and J. H. CALDERWOOD 580
Étude de la diffusion des particules pulverisées dans une lampe à cathode creuse par la méthode de Monte-Carlo . . . . . R. BACIS et J. DANIÈRE 686
Influence de l'adsorption de monocouches de nature connue sur l'émission électronique, cinétique et sur la réflexion ionique d'une cible de molybdène bombardée par des ions de gaz rares . . . . M. PERDRIX, J. C. BABOUX, R. GOUETTE et C. GUILLAUD 594

The voltage drop across the pre-sheath of a plane probe . . . R. H. Varey 601
Stabilized monochromatic radiation source of mercury resonance line (2537 Å) . . . . . S. Hattori, Y. Uchida and K. Matsura 607

RESEARCH NOTES
The crystallographic angles of selenium and tellurium S. Ahmed and S. Weintroub 611
Solid solubility in the NaF–LiF system . . M. R. Cutajar and A. E. Attard 614
Giant thermomagnetic figures of merit at helium temperatures . . . . . M. E. Ertl, D. M. Jacobson and H. L. Johnson 617
Photoelectric effects in cadmium sulphide MIS devices J. E. Ralph and T. L. Tansely 620
The emission spectrum of thermoluminescent dosimetry grade lithium fluoride . . . . . A. M. Harris and J. H. Jackson 624
A stable electrical discharge in air . . D. A. Allen, I. Fells and F. J. Fletcher 628
Étalonnage de photogoniodiffusomètre Sofica: Correction en fonction de l'indice de réfraction du solvant . . . . . T. K C. Bui et C. Wippler 632
The exploitation to the subharmonic pressure waves from pulsating gas bubbles in an acoustic field in liquids . . . . . M. H. Safar 635
Effects of non-uniform conductivity fluids in electromagnetic flowmeters R. C. Baker 637

BOOK REVIEWS 640

CORRIGENDUM 642

MAY 1970

LETTERS TO THE EDITOR
The thermal conductivities of aluminium and platinum . . . M. J. Duggin L21

PAPERS
Molecular reorientation and deformation in polymers: I—Calculation of refractive indices for general deformation . . . . . I. D. Richardson and I. M. Ward 643
Molecular reorientation and deformation in polymers: II—Optical measurements on deformation bands and their interpretation in polyethylene terephthalate (2 plates) . . . . . I. D. Richardson, R. A. Duckett and I. M. Ward 649
Positronium lifetime measurements and the thermal degradative behaviour of polyvinyl chloride . . . . . M. N. G. A. Khan 663
A calculation of the elastic constants of a unidirectional composite containing transversely isotropic fibres . . . . . M. D. Heaton 672
Study of Böttcher's formula for dielectric correlation between powder and bulk . . . . . D. C. Dube and R. Parshad 677
The mean free path of gas molecules in the transition régime . . . D. W. Stops 685
Electro-deposited copper in bismuth telluride . T. A. McCarthy and H. J. Goldsmid 697
Field ion microscope studies of transition metal adatom diffusion on (110) (211) and (321) tungsten surfaces . . . . . D. W. Bassett and M. J. Parsley 707
AC face field losses in a type II superconductor . . . . M. R. Halse 717
The analysis of torque measurements made with a torque magnetometer on ferromagnetic single-crystal specimens with low magnetocrystalline anisotropy . . . . . J. H. Phillips and R. G. Shephard 721
Domain wall motion in single-crystal nickel platelets K. D. Leaver and S. Vojdani 729
Large-signal characteristics of acoustoelectric gain . . . . . R. K. L. Gay and H. L. Hartnagel 736
A large-signal treatment of various acoustoelectric phenomena . . . . . R. K. L. Gay and H. L. Hartnagel 742
Strain measurements in the CdS electro-acoustic oscillator . . . . . A. J. Hughes, J. D. Maines and J. O'Shaughnessey 751
Fluorescence due to excited state absorption in saturable absorbers . . . . . R. G. Harrison, P. Y. Key and V. I. Little 758
Fluorescence decay times of divalent manganese in organic glasses . . . . . S. Parke, A. I. Watson and R. S. Webb 763
Stress in silicon films deposited heteroepitaxially on insulating substrates with particular reference to corundum . . . . . Diana M. Jefkins 770
Elastic moduli of some composite materials . . . . . E. H. F. Date 778
The fracture of titanium carbide under static and sliding contact . . . . . B. D. Powell and D. Tabor 783
Maximization of argon–hydrocarbon Penning mixtures . . A. E. D. Heylen 789

RESEARCH NOTES
The characteristics of domain walls in single-crystal iron foils . S. C. HOTHERSALL 797
Conduction in silicon nitride and silicon nitride–oxide films . . . . . B. SWAROOP and P. S. SCHAFFER 803
Photoeffects in metal–insulator–gallium arsenide diodes T. L. TANSLEY and J. E. RALPH 807
The application of x-ray topography to the study of fatigued aluminium (1 plate) . . . . . D. G. TEER and G. D. BROWN 812

BOOK REVIEWS 814

JUNE 1970

PAPERS
Low angle x-ray investigation of macromolecules—proteins . . B. C. PANDA 815
Temperature dependence of PVC and polyvinyl acetate thermoelectrets . . . . . P. K. C. PILLAI and V. K. JAIN 829
Crystal growth and orientations in vacuum-condensed silver films, and their systematic dependence on the residual air pressure, film thickness, rate of deposition and substrate temperature (2 plates) . . . . . P. K. DUTTA and H. WILMAN 839
Related optical and electrical properties of thin films of indium arsenide (2 plates) . . . . . R. P. HOWSON and V. MALINA 854
The plasma reflection edge in thin films of semiconductors . . R. P. HOWSON 863
Getter evaporation of pure thin films of indium antimonide (1 plate) . . . . . R. P. HOWSON and V. MALINA 871
The stylus or scratch method for thin film adhesion measurement: some observations and comments (2 plates) . D. W. BUTLER, C. T. H. STODDART and P. R. STUART 877
Duplex polarization modulation with cubic crystals . D. KALYMNIOS and F. C. WIDDIS 884
Some magnetic-hydrostatic effects in nematic liquid crystals . . F. M. LESLIE 889
Measurement of 50 Hz dissipation in superconducting niobium strips . . . . . R. GRIGSBY and R. J. SLAUGHTER 898
The dynamic mechanical behaviour of liquid-filled foams . . . . . N. C. HILYARD and S. V. KANAKKANATT 906
The generation of gases in the dielectric breakdown of oil . . E. J. MURPHY 917
Laser action and plasma properties of an argon Z-pinch discharge (1 plate) . . . . . R. ILLINGWORTH 924
Temperature measurement of moving arcs in argon . . . . . A. E. GUILE, K. A. NAYLOR and A. WELLS 931
Measurement of Townsend's first ionization coefficient for air in transverse electric and magnetic fields . . M. R. BHIDAY, A. S. PAITHANKAR and B. L. SHARDA 943
Mobility and diffusion of negative ions in sulphur hexafluoride . . . . . M. S. NAIDU and A. N. PRASAD 951
Mobility, diffusion and attachment of electrons in oxygen . . . . . M. S. NAIDU and A. N. PRASAD 957
Simultaneous measurements of the brightness and the energy distribution of electrons emitted from a triode gun . . . . . W. H. J. ANDERSEN and A. MOL 965

RESEARCH NOTES
The purification of barium by repeated distillation T. E. BROWN and K. A. MCEWEN 980
The electrical conductivity of single-crystal and polycrystalline aluminium oxide . . . . . O. T. ÖZKAN and A. J. MOULSON 983
Third harmonic generation using the hot-electron non-linearity of semiconductors . . . . . D. CHATTOPADHYAY and B. R. NAG 988

BOOK REVIEWS 992

JULY 1970

LETTERS TO THE EDITOR
The gain of gallium phosphide dynodes . . . . . P. B. COATES L25

PAPERS
Optical anisotropy in oriented polyvinyl chloride (1 plate) . . . . . J. G. RIDER and E. HARGREAVES 993
Magnetization changes induced by stress in a constant applied field . . . . . D. J. CRAIK and M. J. WOOD 1009
The linear magnetostriction, saturation magnetization and initial permeability of 4% molybdenum permalloys . . . . . J. H. PHILLIPS and R. G. SHEPHARD 1017
AC losses in composite superconducting wires D. R. SALMON and J. A. CATTERALL 1023
A theory for high-efficiency oscillations in gallium arsenide avalanche diodes . . . . . M. G. COTTAM 1033

Domain wall interactions with non-magnetic inclusions observed by Lorentz microscopy (1 plate) . . . A. F. Smith 1044
Photo-induced changes in the photoconductivity and luminescence of CdSe . . . L. Kindleysides and J. Woods 1049
The application of dielectric mixtures formulae to glass–ceramic systems (1 plate) . . . D. G. Grossman and J. O. Isard 1058
Permittivity measurements on low and medium loss liquids using terminated coaxial line . . . B. P. Jordan and E. H. Grant 1068
Elementary charge carrier models for simple hydrocarbon liquids . P. E. Secker 1073
Arc transition in MHD generator . H. K. Messerle, M. Sakuntala and D. Trung 1080
Electrical and photographic measurements of high power arcs (2 plates) . . . G. R. Jordan, B. Bowman and D. Wakelam 1089
Modification of ion sheath by electron emitting probe . . . V. K. Rohatgi 1100
Langmuir probes and ion flow . . . R. H. Varey 1107
Electron trajectories in ionization gauges . . . L. G. Pittaway 1113
Measurement of plasma electron density by the laser self-heterodyne . . . C. B. Wheeler and A. E. Dangor 1122

RESEARCH NOTES
Microwave velocity measurements of marginal detonation waves (1 plate) . . . D. H. Edwards, G. Hooper and R. J. Meddins 1130
A conducting paper method for the analogue solution of the biharmonic equation . . . A. R. Curtis and N. P. R. Sherry 1134
An evaluation of the effects of specimen temperature gradient on relaxation peaks . . . D. E. Barrow and Z. C. Szkopiak 1140
High resolution divergent-beam x-ray topography (2 plates) . . . B. K. Tanner and C. J. Humphreys 1144
The use of the phase shift between the fundamental and the second harmonic components in detecting sonically induced cavitation . . . M. H. Safar 1147

BOOK REVIEWS . . . 1150

AUGUST 1970

LETTERS TO THE EDITOR
Energy gap–temperature characteristics of ferroelectric triglycine selenate . . . W. N. Honeyman and D. N. Land L29
Transient relaxation of velocity distribution function of electrons for weakly ionized plasmas . . . A. K. Ghatak, A. K. Chakravarti and I. Rattan L30

REVIEW ARTICLE
The physics of Schottky barriers . . . E. H. Rhoderick 1153

PAPERS
The superconductive properties and structure of vacuum-deposited tin films (1 plate) . . . J. S. Hill, C. T. H. Stoddart and P. R. Stuart 1168
The majority carrier profile in thin epitaxial layers of GaAs from Schottky barrier (C–V) characteristics . . . B. L. Smith 1179
Negative resistance in Al–CdS–Al structures under unidirectional voltage pulse excitation . . . R. C. Tyagi and V. V. Durge 1183
Frequency measurements of Gunn effect devices with concentric electrodes (1 plate) . . . C. O. Newton and G. Bew 1189
Thin silicon device technology . D. H. Mash, G. D. Henshall and B. A. Eales 1199
Pre-breakdown conduction current pulses in insulating oils under non-uniform field conditions . . . A. Nosseir and I. Megahed 1205
Operation of a dielectric motor with a low conductivity liquid . . . T. Coddington, A. F. Pollard and H. House 1212
Impulse breakdown of positive point–plane gaps in air containing charged particles . . . F. D. A. Boylett, H. G. J. Edwards and B. G. Williams 1219
Neutral particle density modulation in the positive column of a low-pressure mercury discharge modulated at low frequencies (1 plate) . . . J. R. Riley 1226
Thermal conduction energy loss in a helium afterglow B. V. Donovan and M. C. Sexton 1240
Measurements of the radial distribution of temperature in low-current nitrogen arcs . . . D. C. Creagh 1247
An experimental study of natural ionization in hydrocarbon flames, using the negative electrostatic probe at atmospheric pressure: I—A technique for measurement of ion density . . . G. Cox and P. B. Curtis 1255

An experimental study of natural ionization in hydrocarbon flames, using the negative electrostatic probe at atmospheric pressure: II—The dependence of natural ionization on flame composition . . . . . G. Cox and P. B. Curtis 1263
Complex permittivity of white fishmeal in the microwave region as a function of temperature and moisture content . . . . . M. Kent 1275
Role of silicon carbide/mercury interface in ignitrons M. J. Zarabi and M. Satyam 1284
The edge effect in electron multiplier statistics . . . . . P. B. Coates 1290

RESEARCH NOTES
The effect of crystal inhomogeneity on the threshold field for current saturation in photoconducting CdS . . . . . M. N. Islam and J. Woods 1297
Photoluminescence from epitaxial and polycrystalline layers of gallium arsenide . . . . . B. J. Stocker, M. J. Plummer and A. A. Turnbull 1299

BOOK REVIEWS 1303

SEPTEMBER 1970

LETTERS TO THE EDITOR
Limiting resolution through a turbulent medium . . . . R. S. Sirohi L35
The hollow, thermionic cathode system used in thyratrons . . . J. Gowar L37
Fracture of glass under a stationary ball with combined normal and tangential loading . . . . . B. Hamilton and H. Rawson L40
Comment on natural conduction in nitrobenzene . . . . . G. B. Brière L44
Comments on 'Calibration of light scattering photometers VIII' . B. R. Jennings L45
Measurement of viscosity by the subharmonic pressure threshold for a bubble in a viscous liquid . . . . . P. W. Vaughan: M. H. Safar L47
'Kinetics of dipole aggregation in LiF^{2}: Mg^{2+}' some comments on a paper by Harris and Jackson . . . . J. S. Dryden: J. H. Jackson and A. M. Harris L51

PAPERS
Optical constants of germanium crystal under giant-pulse irradiation . . . . I. Nagata, R. J. Galagali, S. Horiguchi, T. Sakai and T. Nakaya 1305
Limitations on the measurement of relaxation times using a pulsed Kerr effect method . . . . . C. L. Riddiford and H. G. Jerrard 1314
Applications of photoluminescence excitation spectroscopy to the study of indium gallium phosphide alloys . A. M. White, E. W. Williams, P. Porteous and C. Hilsum 1322
The electrical conductivity of magnesium oxide at high fields . . . . . T. J. Lewis and A. J. Wright 1329
Anisotropy effects in the magnetomechanical damping of nickel copper alloys . . . . . J. T. A. Roberts and P. Barrand 1340
The effect of surface grinding upon the permeability of manganese–zinc ferrites . . . . . J. E. Knowles 1346
A thermal rectifier . . . P. W. O'Callaghan, S. D. Probert and A. Jones 1352
Thermal conductivity of metals at high temperatures by the Jain and Krishnan method:—V. Zirconium . . . . . S. C. Jain, V. Sinha and B. K. Reddy 1359
Hot-electron helicon mode conversion in a semiconductor . . V. K. Tripathi 1363
The crystallite size of pyrolytic graphite . . . . . R. A. Morant 1367
The high-power constricted plasma discharge column: I—Theoretical analysis . . . . . C. B. Wheeler 1374
Electric field distribution in a cylindrical TM_{010} microwave cavity with end holes and a glass tube . . . . . A. Pipišková and P. Lukáč 1381
Electron-density profiles of a theta-pinched plasma by holographic interferometry . . . . . J. P. Nicholson, A. F. Hogan and J. Irving 1387
Measurements of the ultrasoft x-ray absorption of Ar, Ne, N_2, O_2, CH_4, He and H_2 . . . . . D. R. Denne 1392
A new type of ion source . . . . . R. K. Fitch, T. Mulvey, W. J. Thatcher and A. H. McIlraith 1399

RESEARCH NOTES
Tangential contribution to centroid displacement and variance of powder diffraction profiles . . . . . A. J. C. Wilson 1403
The x-ray absorption of polypropylene, Melinex and carbon between 44 and 85 Å . . . . . D. R. Denne 1405
Optical constants of rough surface by ellipsometry . . . . . R. S. Sirohi 1407

BOOK REVIEWS 1410

OCTOBER 1970

LETTERS TO THE EDITOR

Electrical breakdown of mercury vapour below the Paschen minimum . . . . . P. C. JOHNSON and A. B. PARKER L55
Stabilisation de la puissance d'un laser argon ionique, oscillations basses fréquences . . . . . J. BENSIMON et A. DE LA FOREST DIVONNE L58
Flaw detection in metals using electromagnetic sound generation . . . . . K. O. LEGG and D. J. MEREDITH L61

PAPERS

The effect of pre-orientation on the fracture properties of glassy polymers J. W. CURTIS 1413
Measurement of energy dissipated in superconductors during flux jumps . . . . . I. D. MCFARLANE and D. DEW-HUGHES 1423
The size dependence of the coercivity of small particles: a statistical approach . . . . . D. A. MCINTYRE 1430
Time dependence of the electrical conductivity of $BaTiO_3$ single crystals heated in oxygen . . . . . R. T. THOMAS 1434
The nature of photochromism in chlorosodalites from optical data . . . . . D. W. G. BALLENTYNE and K. L. BYE 1438
Thermal conductivity of liquids and its temperature dependence . . . . . D. S. VISWANATH and M. BHAGWANT RAO 1444
The elastic constants of sodium chloride and rubidium chloride in the range 140–300 K . . . . . M. GLUYAS, F. D. HUGHES and B. W. JAMES 1451
Temperature rise of specimen due to electron irradiation . . . . . M. WATANABE, T. SOMEYA and Y. NAGAHAMA 1461
The controlled preparation of low SEE surfaces by evaporation of metal films under high residual gas pressures (2 plates) . . . . . S. THOMAS and E. B. PATTINSON 1469
Sputtering and electron emission under mercury ion bombardment in the energy range 15–100 keV . . . . . J. K. HEPWORTH 1475
Measurements of very small angle scattering of medium energy electrons in gases . . . . . R. G. LORD 1480

RESEARCH NOTES

Stabilization and destabilization in the flow of dilute polyacrylamide solutions . . . . . W. M. JONES and D. E. MARSHALL 1486
Dimensional considerations for space-charge conduction in solids P. N. MURGATROYD 1488
On the ordering temperatures of magnetic semiconductors . . M. I. DARBY 1491
Stratification in evaporated nickel–iron films . . . . . R. C. OLDFIELD 1495
Influence of triggering energy in lowering breakdown voltage of a trigatron spark-gap . . . . . B. C. PAPADIAS 1497
Surface tension measurement by the drop weight technique . . J. CAMPBELL 1499
Electron beam testing of wired or printed circuit modules . . . . . J. M. ENGEL and F. E. HOLMSTROM 1505
Light scattering from cylindrical cells in the 'Sofica' photometer . . . . . E. AHAD and B. R. JENNINGS 1509
A modified method for calibrating the analyser and the polarizer in an ellipsometer . . . . . G. FORGÁCS 1513

NOVEMBER 1970

LETTERS TO THE EDITOR

Further studies on dc electroluminescent phosphors . . . . . A. VECHT, N. J. WERRING, R. ELLIS and P. J. F. SMITH L65
Some significant characteristics of pulsed dc discharges used as reaction promoters in chemical synthesis . . B. A. BROWN, C. R. HOWARTH and J. D. THORNTON L67
Electron probe microanalysis on electron microscope thin foils using thin standards . . . . . J. PHILIBERT, J. RIVORY, D. BRYCKAERT and R. TIXIER L70

PAPERS

Experimental and theoretical studies of filamentary superconducting composites . . . M. N. WILSON, C. R. WALTERS, J. D. LEWIN, P. F. SMITH and A. H. SPURWAY 1517
Magnetic domain studies using permeability spectra—II: iron and silicon iron . . . . . J. E. L. BISHOP, P. G. COLLAR and E. W. LEE 1586
The magnetostriction of cobalt–manganese ferrite . R. D. GREENOUGH and E. W. LEE 1595
The variation of the magnetocrystalline anisotropy of 4% molybdenum permalloys with composition and temperature . . . J. H. PHILLIPS and R. G. SHEPHARD 1605
The analysis of modulation-broadened mode admixed Lorentz magnetic resonance line shapes . . . . . G. K. REEVES and G. V. H. WILSON 1609

Electrical properties of single carbon fibres . . . . . C. N. Owston 1615
The optimum conditions for the vacuum deposition of silicon on sapphire . . . . . R. W. Lawson and Diana M. Jefkins 1627
Studies on sintered photoconductive layers of antimony trisulphide . . . . . Mary J. Chockalingham, K. Nagaraja Rao, N. Rangarajan and C. V. Suryanarayana 1641
Effect of impurities on the plastic deformation of calcium fluoride single crystals (1 plate) . . . . . A. R. Patel and C. C. Desai 1645
Study of Landau–Lifshitz–Looyenga's formula for dielectric correlation between powder and bulk . . . . . D. C. Dube 1648
Some observations on the effect of annealing temperature on field emission from cathode surface protrusions (1 plate) . . . . P. I. Biradar and P. A. Chatterton 1653
An investigation of pre-breakdown cathode microcratering (1 plate) . . . . . R. V. Latham and E. Braun 1663
The initiation of arcs by ion bombardment (1 plate) . . . . . O. Lloyd, C. F. Gozna and G. Jervis-Hunter 1670
Ring discharges in argon with an axial magnetic field . . . . B. W. Ricketts 1678
Afterglow study in neon–helium mixture . . . . . P. Lukáč 1689
Thermal conduction energy loss in an argon afterglow T. P. Sorensen and M. C. Sexton 1696
Electron–ion recombination in seeded combustion products . . M. W. E. Coney 1702
Optimum seeding of helium with caesium in MHD power generators . S. Guha 1713
A technique for the computation of charged-particle trajectories in radio-frequency quadrupole devices (2 plates) . . . . T. Chisholm and A. M. Stark 1717
Heat conduction with melting simulated on a resistance–capacitance network . . . . . S. C. Redshaw and K. R. Rushton 1727
A switched-voltage tunable birefringent filter . . M. S. Ahmed and J. M. Ley 1737
Equilibria for mixtures of oxygen with nitrous oxide and carbon dioxide and their relevance to the storage of N_2O/O_2 cylinders for use in analgesia . . . . . A. B. Bracken, G. B. Broughton and D. W. Hill 1747
Least squares analysis of complex data with applications to permittivity measurements . . . . . R. J. Sheppard, B. P. Jordan and E. H. Grant 1759

RESEARCH NOTES
On the continuum model for gas–surface interactions . . . G. H. Kyanka 1765
Schottky defects in alkali halides and compressiblity . . . . . P. D. Pathak and N. G. Vasavada 1767
Magnetization deviation in torque magnetometry and the torque reversal phenomenon . . . . . E. Secemski 1770
Conductivity switching in ZnS single-crystal platelets A. Cusdin and J. C. Anderson 1776
Breakdown potential of mercury vapour between nickel electrodes . R. Hackam 1782
Semiconduction effects in strain gauge cements . L. Alberts and P. E. Viljoen 1785

BOOK REVIEWS 1787

DECEMBER 1970

LETTERS TO THE EDITOR
The edge effect in electron multiplier statistics . C. J. Oliver and E. R. Pike L73
Irreversible changes in the electrical conductivity of freshly-evaporated silicon oxide after atmospheric exposure . . . . . P. A. Timson and C. A. Hogarth L75
Electron spectroscopy of metal blacks . S. Thomas, M. Suleman and E. B. Pattinson L77

PAPERS
The elastic compliances of CoF_2 . . . . S. Hart and R. W. H. Stevenson 1789
Dependence of etch pit morphology on the inclination of the dislocation in NaCl crystals (1 plate) . I. V. K. Bhagavan Raju, T. Bhima Samkaram and K. G. Bansigir 1796
Preferred orientation in polycrystalline materials . . . . . W. N. Reynolds 1798
The indentation of elastic layers . . . . . E. Pitts 1803
Measurement of high temperature thermal conductivity of metals . . . . . R. C. Tyagi and R. S. Mathur 1811
Preparation of thermoluminescent lithium fluoride . . . . . M. J. Rossiter, D. B. Rees-Evans and S. C. Ellis 1816
An interpretation of an empirical formula for the coercivity of polycrystalline iron (1 plate) . . . . . J. A. Pesch and P. F. Davis 1824
Normal precipitates in type II superconducting eutectic alloys (1 plate) . . . . . J. E. Goodfellow and R. G. Rhodes 1830
Electrical conduction in TiO_2 . . . . . T. P. Pearsall 1837

Effect of electrical discharge on silicon solar cell characteristics . . . . . A. Bhaskara Rao and G. R. Padmanabhan 1849
Caesium plasma diodes seeded with mercury or cadmium and the Penning effect . . . . . A. J. Kaufman and G. L. Schrenk 1855
Measurement of growth rate, non-linear saturation coefficients, and mode–mode coupling coefficients of a 'Van der Pol' plasma instability . . . . . B. E. Keen and W. H. W. Fletcher 1868
Spark channel formation (5 plates) M. M. Kekez, M. R. Barrault and J. D. Craggs 1886
Rotating arcs in grid-controlled mercury arc valves (1 plate) . M. B. C. Quigley 1897
On the production and the decay of delayed molecular ultraviolet radiation in rare gas Townsend discharges . . . . . R. Bouciqué and P. Mortier 1905
Energy distribution of fast electrons present in beams from hollow-anode gas discharge electron guns . . . . . W. D. Allen and D. P. Hale 1912
Finite beam diameter effect in electron microprobe analysis (1 plate) . P. K. Gupta 1919
The trajectories of charged particles in magnetic fringe fields . . . . G. Bosi 1925
A two-pulse Q-switched high-power ruby laser . D. E. Evans and M. J. Forrest 1931
Analysis of the saturable absorber transmission equation . . . A. C. Selden 1935
The complex refractive index of particles in a flame . . . . . C. Willis 1944
The optimum angle of incidence for determining optical constants from reflectance measurements . . . . R. F. Miller, A. J. Taylor and L. S. Julien 1957
Measuring the mobility of charged aerosols by Schlieren interferometry of Doppler-shifted light . . . . . M. J. R. Schwar, K. C. Thong and F. J. Weinberg 1962
Standard spectral power distributions . . . . . O. C. Jones 1967

RESEARCH NOTES
Lubrication of highly elastic surfaces . . . . . J. A. Greenwood 1977
Magnetic control of a conducting jet (1 plate) J. Kamil, M. S. Erlicki and D. Schieber 1981
A method of producing ferrofluid with gadolinium particles (1 plate) . . . . . P. G. Shepherd, J. Popplewell and S. W. Charles 1985
Measuring Seebeck coefficients on high resistivity polymers . . . . . J. H. Ranicar and R. J. Fleming 1987
Current flow in p-type space-charge–limited silicon diodes M. G. Güvenc and U. Büget 1990
A room temperature ZnO acoustoelectric microwave oscillator . . H. M. Janus 1993
Measurement of LTE plasma temperatures below 10 000 K . . P. D. Johnston 1999
Laser-induced multiple breakdown in gases (2 plates) . . . J. R. Wilson 2005

SUBJECT INDEX 2009

AUTHOR INDEX (with titles) 2034

BOOK REVIEW INDEX 2050